

WSIB Form 7 Document



Schemas

[Form7.xsd](#)

[Form7ComplexTypes.xsd](#)

[Form7BasicComplexTypes.xsd](#)

[BasicComplexTypes.xsd](#)

[BasicSimpleTypes.xsd](#)

Schema

Schema	Form7.xsd
Target Namespace	http://www.wsib.on.ca/form7
Namespace Table	http://www.wsib.on.ca
	http://www.wsib.on.ca/form7
	http://www.w3.org/2001/XMLSchema

Directives

[include Form7ComplexTypes.xsd](#)
[import BasicComplexTypes.xsd](#)

Elements

[Form7](#)

Complex Types

[Form7Type](#)


Simple Types

[versionType](#)

Types

Complex Type Form7Type																									
Namespace	http://www.wsib.on.ca/form7																								
	versionType WorkerInfoType <table><tr><td>e claimNo</td><td>[0..1]</td><td>claimNumberType</td><td>+</td></tr><tr><td>e jobTitle</td><td></td><td>char2_40Type</td><td>+</td></tr><tr><td>e SIN</td><td></td><td>digit9Type</td><td>+</td></tr><tr><td>e timeInPosition</td><td>[0..1]</td><td>char2_12Type</td><td>+</td></tr><tr><td>e additionalWorkerAttribute</td><td>[0..1]</td><td>AdditionalWorkerAttributeType</td><td>+</td></tr><tr><td>e lastname</td><td></td><td>nonNumeric2_25Type</td><td>+</td></tr></table>	e claimNo	[0..1]	claimNumberType	+	e jobTitle		char2_40Type	+	e SIN		digit9Type	+	e timeInPosition	[0..1]	char2_12Type	+	e additionalWorkerAttribute	[0..1]	AdditionalWorkerAttributeType	+	e lastname		nonNumeric2_25Type	+
e claimNo	[0..1]	claimNumberType	+																						
e jobTitle		char2_40Type	+																						
e SIN		digit9Type	+																						
e timeInPosition	[0..1]	char2_12Type	+																						
e additionalWorkerAttribute	[0..1]	AdditionalWorkerAttributeType	+																						
e lastname		nonNumeric2_25Type	+																						

Diagram




Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ Form7Type {http://www.wsib.on.ca/form7}
Content Details	version workerInfo employerInfo injuryReport additionalInformation [0..1] declaration wsibReserved
Documentation	The root field type of WSIB Form 7.
Source	<pre><xsd:complexType name="Form7Type"> <xsd:sequence> <xsd:element name="version" type="wsibf7:versionType"/> <xsd:element name="workerInfo" type="wsibf7:WorkerInfoType"/> </xsd:sequence> <xsd:element name="employerInfo" type="wsibf7:EmployerInfoType"/> </xsd:element> <xsd:element name="injuryReport" type="wsibf7:InjuryReportType"> <xsd:unique name="standardEmploymentUniqueConstraint"> <xsd:selector xpath="."/> <xsd:field xpath="."/> </xsd:unique> <xsd:unique name="standardAccidentTypeUniqueConstraint"> <xsd:selector xpath="."/> <xsd:field xpath="."/> </xsd:unique> <xsd:unique name="standardInjuryAreaUniqueConstraint"> <xsd:selector xpath="."/> <xsd:field xpath="."/> </xsd:unique> <xsd:unique name="standardLocationUniqueConstraint"> <xsd:selector xpath="."/> <xsd:field xpath="."/> </xsd:unique> </xsd:element> <xsd:element name="additionalInformation" type="wsibf7:AdditionalInformationType" minOccurs="0"/> </xsd:element> <xsd:element name="declaration" type="wsibf7:DeclarationType"/> <xsd:element name="wsibReserved" type="wsib:WSIBReservedFieldsType"/> </xsd:element> </xsd:sequence> </xsd:complexType></pre>

Simple Type versionType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ versionType {http://www.wsib.on.ca/form7}
Allowable Values	1.10
Documentation	This is used for both representing and checking schema version.
Source	<pre><xsd:simpleType name="versionType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="1.10"/> </xsd:restriction> </xsd:simpleType></pre>

Elements

Element Form7	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Type	Form7Type {http://www.wsib.on.ca/form7}
Documentation	The root element of WSIB Form 7.
Source	<pre><xsd:element name="Form7" type="wsibf7:Form7Type"> </xsd:element></pre>

Groups

Attributes

Attribute Groups

Schema

Schema	Form7ComplexTypes.xsd
Target Namespace	http://www.wsib.on.ca/form7
Namespace Table	http://www.wsib.on.ca
	http://www.wsib.on.ca/form7
	http://www.w3.org/2001/XMLSchema

Directives

[include Form7BasicComplexTypes.xsd](#)
[import BasicComplexTypes.xsd](#)

Elements

Complex Types


[AccidentIllnessDetailsBaseType](#)
[AccidentIllnessDetailsType](#)
[AdditionalWageInfoType](#)
[BaseWageAndEmploymentInfoType](#)
[DeclarationType](#)
[EmployerInfoType](#)
[FatalityAccidentIllnessDetailsType](#)
[FatalityAdditionalWageInfoType](#)
[FatalityBaseWageAndEmploymentInfoType](#)
[FatalityHealthcareType](#)
[FatalityReportType](#)
[HealthcareType](#)
[InjuryReportType](#)
[LostOrNolostTimeType](#)
[LostTimeType](#)
[NonFatalityReportType](#)
[ReturnToModifiedWorkType](#)
[ReturnToRegularJobType](#)
[ReturnToWorkType](#)
[WorkerInfoType](#)
[WorkScheduleType](#)

Simple Types

Types

Complex Type AccidentIllnessDetailsBaseType	
Namespace	http://www.wsib.on.ca/form7

Diagram




Inheritance
Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ [AccidentIllnessDetailsBaseType](http://www.wsib.on.ca/form7) {http://www.wsib.on.ca/form7}

Content Details	incidentDateTime incidentReport [0..1] accidentDescription accidentLocation outOfProvinceAccident witnesses responsibleNonEmployee relatedProblem submissionAttached [0..1]
Documentation	The base complex type for the seccion of "C.Accident/Illness Date and Details" section of WSIB Form 7.
Source	<pre><xsd:complexType name="AccidentIllnessDetailsBaseType"> <xsd:sequence> <xsd:element name="incidentDateTime" type="wsibf7:IncidentDateType"/> <xsd:element name="incidentReport" type="wsibf7:IncidentReportType" maxOccurs="1" minOccurs="0"/> <xsd:element name="accidentDescription" type="wsibf7:AccidentDescriptionType"/> <xsd:element name="accidentLocation" type="wsibf7:OccurredOnEmployersPremises"/> <xsd:element name="outOfProvinceAccident" type="wsibf7:OutOfProvinceAccidentType"/> <xsd:element name="witnesses" type="wsibf7:WitnessesType"/> <xsd:element name="responsibleNonEmployee" type="wsibf7:ResponsibleNonEmployeeType"/> <xsd:element name="relatedProblem" type="wsibf7:RelatedProblemType"/> <xsd:element name="submissionAttached" type="wsib:yesNoType" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type AccidentIllnessDetailsType	
Namespace	http://www.wsib.on.ca/form7
Diagram	



Inheritance
Hierarchy

```

anyType {http://www.w3.org/2001/XMLSchema}
├── AccidentIllnessDetailsBaseType {http://www.wsib.on.ca/form7}
└── AccidentIllnessDetailsType {http://www.wsib.on.ca/form7}

```

Content Details

e accidentOccurrence
 e accidentType
 e injuryArea

Documentation

The complex type extends from AccidentIllnessDetailsBaseType for non-fatality injury claim.

Source

```

<xsd:complexType name="AccidentIllnessDetailsType">
  <xsd:complexContent>
    <xsd:extension base="wsibf7:AccidentIllnessDetailsBaseType">
      <xsd:sequence>
        <xsd:element name="accidentOccurrence" type="wsib:accidentOccurrenceType"/>
        <xsd:element name="accidentType" type="wsibf7:AccidentTypeType"/>
        <xsd:element name="injuryArea" type="wsibf7:InjuryAreaType"/>
      </xsd:sequence>
    </xsd:extension>
  </xsd:complexContent>
</xsd:complexType>


```

Complex Type AdditionalWageInfoType

Namespace

http://www.wsib.on.ca/form7

Diagram

Inheritance
Hierarchy

anyType {<http://www.w3.org/2001/XMLSchema>}
└─ [AdditionalWageInfoType](http://www.wsib.on.ca/form7) {<http://www.wsib.on.ca/form7>}

Content Details

netClaimCodeOrAmount	[0..1]
vacationPay	[0..1]
lastWorkedDateTime	[0..1]
normalWorkingHoursOnLastDay	[0..1]
actualLastDayEarnings	[0..1]
normalLastDayEarnings	[0..1]
advancesOnWages	[0..1]
otherEarnings	[0..1]

Documentation


The complex type for the section of "H. Additional Wage Information" section of WSIB Form 7.
This type is only applicable for non-fatality injury claim.

```
<xsd:complexType name="AdditionalWageInfoType">
  <xsd:sequence>
    <xsd:element name="netClaimCodeOrAmount" type="wsibf7:NetClaimCodeOrAmountType" maxOccurs="1" minOccurs="0"/>
    <xsd:element name="vacationPay" type="wsibf7:VacationPayType" maxOccurs="1" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
```


Source	<pre><xsd:element name="lastWorkedDateTime" type="wsibf7:LastWorkedDateTimeType" maxOccurs="1" minOccurs="0"/> <xsd:element name="normalWorkingHoursOnLastDay" type="wsibf7:NormalWorkingHoursOnLastDayType" maxOccurs="1" minOccurs="0"/> <xsd:element name="actualLastDayEarnings" type="wsib:noNegativeDecimal7_2Type" maxOccurs="1" minOccurs="0"/> <xsd:element name="normalLastDayEarnings" type="wsib:noNegativeDecimal7_2Type" maxOccurs="1" minOccurs="0"/> <xsd:element name="advancesOnWages" type="wsibf7:AdvancesOnWagesType" maxOccurs="1" minOccurs="0"/> <xsd:element name="otherEarnings" type="wsibf7:OtherEarningsType" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>
--------	---

Complex Type BaseWageAndEmploymentInfoType					
Namespace	http://www.wsib.on.ca/form7				
Diagram	<pre>classDiagram class BaseWageAndEmploymentInfoType { employmentType [0..1] EmploymentTypeType regularPayRate [0..1] RegularPayRateType } class EmploymentTypeType { employmentTypes (employmentTypesType) standardEmploymentType [1..12] standardEmploymentTypeType otherEmploymentType char2_50Type } class RegularPayRateType { payRate noNegativeDecimal7_2Type payFrequency PayFrequencyType } BaseWageAndEmploymentInfoType --> EmploymentTypeType BaseWageAndEmploymentInfoType --> RegularPayRateType</pre>				
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ BaseWageAndEmploymentInfoType {http://www.wsib.on.ca/form7}				
Content Details	<table><tr><td> employmentType</td><td>[0..1]</td></tr><tr><td> regularPayRate</td><td>[0..1]</td></tr></table>	employmentType	[0..1]	regularPayRate	[0..1]
employmentType	[0..1]				
regularPayRate	[0..1]				
Documentation	The complex type for the section of "G. Base Wage/Employment Information" section of WSIB Form 7. This type is only applicable for fatality injury report.				
Source	<pre><xsd:complexType name="BaseWageAndEmploymentInfoType"> <xsd:sequence> <xsd:element name="employmentType" type="wsibf7:EmploymentTypeType" maxOccurs="1" minOccurs="0"> </xsd:element> <xsd:element name="regularPayRate" type="wsibf7:RegularPayRateType" maxOccurs="1" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>				

Complex Type DeclarationType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ DeclarationType {http://www.wsib.on.ca/form7}
Content Details	- name - officialTitle - phoneNumber - declarationDate
Documentation	The complex type for the section of "J. Declaration" section of WSIB Form 7.
Source	<pre><xsd:complexType name="DeclarationType"> <xsd:sequence> <xsd:element name="name" type="wsib:nonNumeric2_50Type"/> <xsd:element name="officialTitle" type="wsib:nonNumeric2_50Type"/> <xsd:element name="phoneNumber" type="wsib:PhoneWithExtType"/> <xsd:element name="declarationDate" type="wsib:dateDDMMYYYYType"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type EmployerInfoType	
Namespace	http://www.wsib.on.ca/form7
Diagram	



Inheritance
Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ **EmployerInfoType** {http://www.wsib.on.ca/form7}

Content Details

[e] tradeLegalName
 [e] firmAccountNumber
 [e] mailingAddress
 [e] telephoneNumber
 [e] rateGroupNumber
 [e] classificationUnitNumber
 [e] businessActivityDescription [0..1]
 [e] over20Employees [1..1]
 [e] faxNumber [0..1]
 [e] branchAddress [0..1]
 [e] alternateTelephone [0..1]

Documentation

The complex type for the section of "B. Employer Information" section of WSIB Form 7.

```

<xsd:complexType name="EmployerInfoType">
  <xsd:sequence>
    <xsd:element name="tradeLegalName" type="wsib:char1_45Type"/>
    <xsd:element name="firmAccountNumber" type="wsibf7:FirmOrAccountNumberType"/>
  
```


Source	<pre> <xsd:element name="mailingAddress" type="wsib:AddressType"/> <xsd:element name="telephoneNumber" type="wsib:phone13Type"/> <xsd:element name="rateGroupNumber" type="wsib:rateGroupType"/> <xsd:element name="classificationUnitNumber" type="wsib:classificationUnitCodeType"/> <xsd:element name="businessActivityDescription" type="wsib:char1_40Type" maxOccurs="1" minOccurs="0"/> <xsd:element name="over20Employees" type="wsib:yesNoType" maxOccurs="1" minOccurs="1"/> <xsd:element name="faxNumber" type="wsib:phone13Type" minOccurs="0"/> <xsd:element name="branchAddress" type="wsib:OptionalAddressType" minOccurs="0"/> <xsd:element name="alternateTelephone" type="wsib:phone13Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>
--------	---

Complex Type FatalityAccidentIllnessDetailsType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	<pre> anyType {http://www.w3.org/2001/XMLSchema} ├─ AccidentIllnessDetailsBaseType {http://www.wsib.on.ca/form7} └─ FatalityAccidentIllnessDetailsType {http://www.wsib.on.ca/form7} </pre>
Content Details	- accidentOccurrence - accidentType - injuryArea
Documentation	The complex type extends from AccidentIllnessDetailsBaseType for fatality injury report
Source	<pre> <xsd:complexType name="FatalityAccidentIllnessDetailsType"> <xsd:complexContent> <xsd:extension base="wsibf7:AccidentIllnessDetailsBaseType"> <xsd:sequence> <xsd:element name="accidentOccurrence" type="wsib:fatalityAccidentOccurrenceType"/> <xsd:element name="accidentType" type="wsib:fatalityAccidentIllnessType"/> <xsd:element name="injuryArea" type="wsib:fatalityInjuryAreaType"/> </xsd:sequence> </xsd:extension> </xsd:complexContent> </xsd:complexType> </pre>

Complex Type **FatalityAdditionalWageInfoType**

Namespace <http://www.wsib.on.ca/form7>

Diagram



Inheritance Hierarchy
 anyType {http://www.w3.org/2001/XMLSchema}
 └ [FatalityAdditionalWageInfoType](#) {http://www.wsib.on.ca/form7}

Content Details

netClaimCodeOrAmount
 vacationPay
 lastWorkedDateTime
 normalWorkingHoursOnLastDay
 actualLastDayEarnings
 normalLastDayEarnings
 otherEarnings [0..1]

Documentation


The complex type for the section of "H. Additional Wage Information" section of WSIB Form 7. This type is only applicable for fatality injury.

```
<xsd:complexType name="FatalityAdditionalWageInfoType">
  <xsd:sequence>
    <xsd:element name="netClaimCodeOrAmount" type="wsibf7:NetClaimCodeOrAmountType"/>
    <xsd:element name="vacationPay" type="wsibf7:VacationPayType"/>
    <xsd:element name="lastWorkedDateTime" type="wsibf7:LastWorkedDateTimeType"/>
  </xsd:sequence>
</xsd:complexType>
```

Source	<pre><xsd:element name="normalWorkingHoursOnLastDay" type="wsibf7:NormalWorkingHoursOnLastDayType"/> <xsd:element name="actualLastDayEarnings" type="wsib:noNegativeDecimal7_2Type"/> <xsd:element name="normalLastDayEarnings" type="wsib:noNegativeDecimal7_2Type"/> <xsd:element name="otherEarnings" type="wsibf7:OtherEarningsType" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>
--------	---


Complex Type FatalityBaseWageAndEmploymentInfoType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} FatalityBaseWageAndEmploymentInfoType {http://www.wsib.on.ca/form7}
Content Details	employmentType regularPayRate
Documentation	The complex type for the section of "G. Base Wage/Employment Information" section of WSIB Form 7. This type is only applicable for fatality injury report.
Source	<pre><xsd:complexType name="FatalityBaseWageAndEmploymentInfoType"> <xsd:sequence> <xsd:element name="employmentType" type="wsibf7:EmploymentTypeType"/> <xsd:element name="regularPayRate" type="wsibf7:RegularPayRateType"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type FatalityHealthcareType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ FatalityEngineHealthcareType {http://www.wsib.on.ca/form7}
Content Details	e receivingHealthCare e workerTreatmentLocation [0..1] e treatmentProfessionalOrFacility [0..1]
Documentation	The complex type of the section of "D. Health Care" section of WSIB Form 7. This type is only applicable for fatality injury report.
Source	<pre> <xsd:complexType name="FatalityEngineHealthcareType"> <xsd:sequence> <xsd:element name="receivingHealthCare" type="wsibf7:FatalityEngineReceivingHealthCareType"/> <xsd:element name="workerTreatmentLocation" type="wsibf7:FatalityEngineWorkerTreatmentLocationType" maxOccurs="1" minOccurs="0"/> <xsd:element name="treatmentProfessionalOrFacility" type="wsibf7:TreatmentProfessionalOrFacilityType" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type FatalityEngineReportType	
Namespace	http://www.wsib.on.ca/form7

Diagram



Inheritance
Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ [FatalityEngineType](#) {http://www.wsib.on.ca/form7}

Content Details

[FatalityEngineType](#)
[FatalityEngineType](#)
[FatalityEngineType](#)
[FatalityEngineType](#)
[FatalityEngineType](#)

Documentation

The complex type which includes all fatality injury claim information

Source


```
<xsd:complexType name="FatalityEngineType">
  <xsd:sequence>
    <xsd:element name="accidentIllnessDetails" type="wsibf7:FatalityAccidentIllnessDetailsType">
    </xsd:element>
    <xsd:element name="healthcare" type="wsibf7:FatalityHealthcareType">
    </xsd:element>
    <xsd:element name="baseWageAndEmploymentInformation" type="wsibf7:FatalityBaseWageAndEmploymentInfoType"/>
    <xsd:element name="additionalWageInformation" type="wsibf7:FatalityAdditionalWageInfoType"/>
    <xsd:element name="workSchedule" type="wsibf7:WorkScheduleType"/>
  </xsd:sequence>
</xsd:complexType>
```

</xsd:complexType>

Complex Type HealthcareType

Namespace http://www.wsib.on.ca/form7

Diagram



Inheritance Hierarchy
anyType {http://www.w3.org/2001/XMLSchema}
└─ HealthcareType {http://www.wsib.on.ca/form7}

Content Details
receivingHealthCare
treatmentProfessionalOrFacility [0..1]

Documentation

The complex type for the section of "D. Health Care" section of WSIB Form 7.
This type is only applicable for non-fatality injury report.
In version 1.10, the element "treatmentProfessionalOrFacility" is added in HealthcareType.
"treatmentProfessionalOrFacility" is originally inside WorkerTreatmentLocationType, now it is moved to HealthcareType.
Also , "workerTreatmentLocation" is moved to ReceivingHealthCareType


Source

```
<xsd:complexType name="HealthcareType">
  <xsd:sequence>
    <xsd:element name="receivingHealthCare" type="wsibf7:ReceivingHealthCareType"/>

    <xsd:element name="treatmentProfessionalOrFacility" type="wsibf7:TreatmentProfessionalOrFacilityType" minOccurs="0">
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
```

Complex Type InjuryReportType

Namespace http://www.wsib.on.ca/form7


Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ InjuryReportType {http://www.wsib.on.ca/form7}
Content Details	fatalityReport nonFatalityReport
Documentation	The complex type which includes all injury claim information
Source	<pre> <xsd:complexType name="InjuryReportType"> <xsd:choice> <xsd:element name="fatalityReport" type="wsibf7:FatalityReportType"/> <xsd:element name="nonFatalityReport" type="wsibf7:NonFatalityReportType"/> </xsd:choice> </xsd:complexType> </pre>

Complex Type LostOrNolostTimeType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	<pre> graph LR LNT[LostOrNoLostTimeType] --> RTJ[ReturnToRegularJobType] LNT --> RTM[ReturnToModifiedWorkType] LNT --> LTT[LostTimeType] RTJ --> BWEI1[baseWageAndEmploymentInformation BaseWageAndEmploymentInfoType] RTM --> RTWD[returnToWorkDate [0..1] RTWDateType] RTM --> RTW[returnToWork ReturnToWorkType] RTM --> BWEI2[baseWageAndEmploymentInformation BaseWageAndEmploymentInfoType] RTM --> AWI[additionalWageInformation [0..1] AdditionalWageInfoType] RTM --> WS[workSchedule [0..1] WorkScheduleType] RTM --> CB[confirmedBy ResponsibleType] LTT --> FLT[firstLTDate dateDDMMYYYYType] LTT --> RTWD2[returnToWorkDate [0..1] RTWDateType] LTT --> RTW2[returnToWork ReturnToWorkType] LTT --> BWEI3[baseWageAndEmploymentInformation BaseWageAndEmploymentInfoType] LTT --> AWI2[additionalWageInformation [0..1] AdditionalWageInfoType] LTT --> WS2[workSchedule [0..1] WorkScheduleType] LTT --> CB2[confirmedBy ResponsibleType] </pre>
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ LostOrNoLostTimeType {http://www.wsib.on.ca/form7}
Content Details	ReturnToRegularJob ReturnToModifiedWork hasLostTimeOrEarnings
Documentation	The complex type for the section of "E. Lost Time - No Lost Time" section of WSIB Form 7.
Source	<pre> <xsd:complexType name="LostOrNoLostTimeType"> <xsd:choice> <xsd:element name="returnToRegularJob" type="wsibf7:ReturnToRegularJobType"/> <xsd:element name="returnToModifiedWork" type="wsibf7:ReturnToModifiedWorkType"/> <xsd:element name="hasLostTimeOrEarnings" type="wsibf7:LostTimeType"/> </xsd:choice> </xsd:complexType> </pre>

Complex Type LostTimeType	
Namespace	http://www.wsib.on.ca/form7

Diagram

Inheritance
Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ **LostTimeType** {http://www.wsib.on.ca/form7}

Content
Details

firstLTDate
returnToWorkDate [0..1]
returnToWork
baseWageAndEmploymentInformation
additionalWageInformation [0..1]
workSchedule [0..1]

	confirmedBy
Documentation	A complex type for the of "Has lost time and/or earnings." option of "E. Lost Time - No Lost Time" section of WSIB Form 7.
Source	<pre> <xsd:complexType name="LostTimeType"> <xsd:sequence> <xsd:element name="firstLTDate" type="wsib:dateDDMMYYYYType"/> <xsd:element name="returnToWorkDate" type="wsibf7:RTWDateType" minOccurs="0"/> <xsd:element name="returnToWork" type="wsibf7:ReturnToWorkType"/> <xsd:element name="baseWageAndEmploymentInformation" type="wsibf7:BaseWageAndEmploymentInfoType"/> <xsd:element name="additionalWageInformation" type="wsibf7:AdditionalWageInfoType" maxOccurs="1" minOccurs="0"/> <xsd:element name="workSchedule" type="wsibf7:WorkScheduleType" maxOccurs="1" minOccurs="0"/> <xsd:element name="confirmedBy" type="wsibf7:ResponsibleType"/> </xsd:sequence> </xsd:complexType> </pre>


Complex Type NonFatalityReportType	
Namespace	http://www.wsib.on.ca/form7
Diagram	<pre> classDiagram class NonFatalityReportType { AccidentIllnessDetailsType accidentIllnessDetails HealthcareType healthcare LostOrNoLostTimeType lostOrNoLostTime } class AccidentIllnessDetailsType { accidentOccurrenceType accidentOccurrence AccidentTypeType accidentType InjuryAreaType injuryArea } class HealthcareType { ReceivingHealthCareType receivingHealthCare TreatmentProfessionalOrFacilityType treatmentProfessionalOrFacility } class LostOrNoLostTimeType { ReturnToRegularJobType returnToRegularJob ReturnToModifiedWorkType returnToModifiedWork LostTimeType hasLostTimeOrEarnings } NonFatalityReportType "1" -- "1" AccidentIllnessDetailsType NonFatalityReportType "1" -- "1" HealthcareType NonFatalityReportType "1" -- "1" LostOrNoLostTimeType </pre>
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ NonFatalityReportType {http://www.wsib.on.ca/form7}
Content Details	accidentIllnessDetails healthcare lostOrNoLostTime
Documentation	The complex type which includes all non-fatality injury claim information
Source	<pre> <xsd:complexType name="NonFatalityReportType"> <xsd:sequence> <xsd:element name="accidentIllnessDetails" type="wsibf7:AccidentIllnessDetailsType"/> </xsd:element> <xsd:element name="healthcare" type="wsibf7:HealthcareType"/> </xsd:element> <xsd:element name="lostOrNoLostTime" type="wsibf7:LostOrNoLostTimeType"/> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>

Complex Type

ReturnToModifiedWorkType

Namespace

http://www.wsib.on.ca/form7




Inheritance Hierarchy


anyType {http://www.w3.org/2001/XMLSchema}
└ ReturnToModifiedWorkType {http://www.wsib.on.ca/form7}

Content Details	returnToWorkDate returnToWork baseWageAndEmploymentInformation additionalWageInformation workSchedule [0..1] [0..1] [0..1]
-----------------	--

	 confirmedBy
Documentation	A complex type for the of "Returned to modified work and has not lost any time and/or earnings." option of "E. Lost Time - No Lost Time" section of WSIB Form 7.
Source	<pre><xsd:complexType name="ReturnToModifiedWorkType"> <xsd:sequence> <xsd:element name="returnToWorkDate" type="wsibf7:RTWDateType" minOccurs="0"/> <xsd:element name="returnToWork" type="wsibf7:ReturnToWorkType"/> <xsd:element name="baseWageAndEmploymentInformation" type="wsibf7:BaseWageAndEmploymentInfoType"/> <xsd:element name="additionalWageInformation" type="wsibf7:AdditionalWageInfoType" minOccurs="0"/> <xsd:element name="workSchedule" type="wsibf7:WorkScheduleType" minOccurs="0"/> <xsd:element name="confirmedBy" type="wsibf7:ResponsibleType"/> </xsd:sequence> </xsd:complexType></pre>


Complex Type ReturnToRegularJobType	
Namespace	http://www.wsib.on.ca/form7
Diagram	 <pre>graph LR RTJR[ReturnToRegularJobType] -- contains --> BWEI[baseWageAndEmploymentInformation] BWEI -- is --> BWEIT[BaseWageAndEmploymentInfoType] BWEIT -- contains --> ET[employmentType] BWEIT -- contains --> RPR[regularPayRate]</pre>
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ ReturnToRegularJobType {http://www.wsib.on.ca/form7}
Content Details	 baseWageAndEmploymentInformation
Documentation	A complex type for the of "Returned to his/her regular job and has not lost any time and/or earnings." option of "E. Lost Time - No Lost Time" section of WSIB Form 7.
Source	<pre><xsd:complexType name="ReturnToRegularJobType"> <xsd:sequence> <xsd:element name="baseWageAndEmploymentInformation" type="wsibf7:BaseWageAndEmploymentInfoType"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type ReturnToWorkType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ ReturnToWorkType {http://www.wsib.on.ca/form7}
Content Details	workLimitationsProvided [0..1] modifiedWorkDiscussed [0..1] offerToModifiedWorkBeenAccepted [0..1] RTWResponsible
Documentation	The complex type for the section of "F. Return To Work" section of WSIB Form 7.
Source	<pre> <xsd:complexType name="ReturnToWorkType"> <xsd:sequence> <xsd:element name="workLimitationsProvided" type="wsib:yesNoType" maxOccurs="1" minOccurs="0"/> <xsd:element name="modifiedWorkDiscussed" type="wsib:yesNoType" maxOccurs="1" minOccurs="0"/> <xsd:element name="offerToModifiedWorkBeenAccepted" type="wsib:offerToModifiedWorkBeenAcceptedType" maxOccurs="1" minOccurs="0"/> <xsd:element name="RTWResponsible" type="wsib:f7:ResponsibleType"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type WorkerInfoType	
Namespace	http://www.wsib.on.ca/form7

Diagram



Inheritance
Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ [WorkerInfoType](#) {http://www.wsib.on.ca/form7}

e claimNo [0..1]
e jobTitle
e SIN
e timeInPosition [0..1]
e additionalWorkerAttribute [0..1]

Content Details	lastname firstname address collectiveAgreementCoverage [0..1] referenceNumber [0..1] preferredLanguage dateOfBirth dateOfHire [0..1] gender phoneNumber
Documentation	The complex type for the section of "A. Worker Information" section of WSIB Form 7.
Source	<pre><xsd:complexType name="WorkerInfoType"> <xsd:sequence> <xsd:element name="claimNo" type="wsib:claimNumberType" minOccurs="0"/> <xsd:element name="jobTitle" type="wsib:char2_40Type"/> <xsd:element name="SIN" type="wsib:digit9Type"/> <xsd:element name="timeInPosition" type="wsib:char2_12Type" minOccurs="0"/> <xsd:element name="additionalWorkerAttribute" type="wsibf7:AdditionalWorkerAttributeType" minOccurs="0"/> <xsd:element name="lastname" type="wsib:nonNumeric2_25Type"/> <xsd:element name="firstname" type="wsib:nonNumeric2_20Type"/> <xsd:element name="address" type="wsib:AddressType2"/> <xsd:element name="collectiveAgreementCoverage" type="wsib:yesNoType" maxOccurs="1" minOccurs="0"/> <xsd:element name="referenceNumber" type="wsib:char2_15Type" minOccurs="0"/> <xsd:element name="preferredLanguage" type="wsib:PreferredLanguageType"/> <xsd:element name="dateOfBirth" type="wsib:dateDDMMYYYYType"/> <xsd:element name="dateOfHire" type="wsib:dateDDMMYYYYType" maxOccurs="1" minOccurs="0"/> <xsd:element name="gender" type="wsib:genderType"/> <xsd:element name="phoneNumber" type="wsib:phone13Type"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type WorkScheduleType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ WorkScheduleType {http://www.wsib.on.ca/form7}
Content Details	- regularSchedule [1..7] RegularScheduleType - repeatingRotationalShiftWorker RepeatingRotationalShiftWorkerType - variedOrIrregularWorkSchedule [4..4] VariedOrIrregularWorkScheduleType
Documentation	The complex type for the section of "I. Work Schedule" section of WSIB Form 7.
Source	<pre><xsd:complexType name="WorkScheduleType"> <xsd:choice> <xsd:element name="regularSchedule" type="wsibf7:RegularScheduleType" maxOccurs="7"/> <xsd:element name="repeatingRotationalShiftWorker" type="wsibf7:RepeatingRotationalShiftWorkerType"/> <xsd:element name="variedOrIrregularWorkSchedule" type="wsibf7:VariedOrIrregularWorkScheduleType" minOccurs="4" maxOccurs="4"/> </xsd:choice> </xsd:complexType></pre>

Elements

Groups

Attributes

Attribute Groups

Schema

Schema	Form7BasicComplexTypes.xsd
Target Namespace	http://www.wsib.on.ca/form7
Namespace Table	http://www.wsib.on.ca
	http://www.wsib.on.ca/form7
	http://www.w3.org/2001/XMLSchema

Directives

[import BasicComplexTypes.xsd](#)

Elements

Complex Types

[AccidentDescriptionType](#)

[AccidentTypeType](#)

[AdditionalInformationType](#)

[AdditionalWorkerAttributeType](#)

[AdvancesOnWagesType](#)

[ComissionTypeType](#)

[CommissionPaymentType](#)

[EmploymentTypeType](#)

[FatalityReceivingHealthCareType](#)

[FatalityWorkerTreatmentLocationType](#)

[FirmOrAccountNumberType](#)

[IncidentDateType](#)

[IncidentReportType](#)

[InjuryAreaType](#)

[LastWorkedDateTimeType](#)

[NetAmountType](#)

[NetClaimCodeOrAmountType](#)

[NetClaimCodeType](#)

[NormalWorkingHoursOnLastDayType](#)

[OccurredOnEmployersPremises](#)

[OtherEarningsType](#)

[OtherPayType](#)

[OutOfProvinceAccidentType](#)

[PayFrequencyType](#)

[ReceivingHealthCareType](#)

[RegularPayRateType](#)

[RegularScheduleType](#)

[RelatedProblemType](#)

[RepeatingRotationalShiftWorkerType](#)

[ReportedPersonAndPositionType](#)

[ResponsibleNonEmployeeType](#)

[ResponsibleType](#)

[RTWDateType](#)

[TreatmentProfessionalOrFacilityType](#)

[VacationPayType](#)

[VariedOrIrregularWorkScheduleType](#)

[WeeklyEarningsType](#)

[WitnessesType](#)


Types

Complex Type AccidentDescriptionType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ AccidentDescriptionType {http://www.wsib.on.ca/form7}
Content Details	e line1 e line2 [0..1] e line3 [0..1] e line4 [0..1] e line5 [0..1] e line6 [0..1] e line7 [0..1]
Source	<pre> <xsd:complexType name="AccidentDescriptionType"> <xsd:sequence> <xsd:element name="line1" type="wsib:char2_86Type"/> <xsd:element name="line2" type="wsib:char2_86Type" minOccurs="0"/> <xsd:element name="line3" type="wsib:char2_86Type" minOccurs="0"/> <xsd:element name="line4" type="wsib:char2_86Type" minOccurs="0"/> <xsd:element name="line5" type="wsib:char2_86Type" minOccurs="0"/> <xsd:element name="line6" type="wsib:char2_86Type" minOccurs="0"/> <xsd:element name="line7" type="wsib:char2_84Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>

Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ AccidentTypeType {http://www.wsib.on.ca/form7}
Content Details	- accidentTypes - standardAccidentType [1..9] - otherAccidentType
Documentation	A complex field for WSIB Accident Type. Use accidentTypes path if coming with both standard accident type(s) and other accident type. Use standardAccidentType path for standard accident/illness type(s) only. Use otherAccidentType path for only accident type other than standard accident/illness types.
Source	<pre> <xsd:complexType name="AccidentTypeType"> <xsd:choice> <xsd:element name="accidentTypes"> <xsd:complexType> <xsd:sequence> <xsd:element name="standardAccidentType" type="wsib:standardAccidentIllnessType" minOccurs="1" maxOccurs="9"/> </xsd:sequence> <xsd:element name="otherAccidentType" type="wsib:char2_35Type"/> </xsd:complexType> </xsd:element> <xsd:element name="standardAccidentType" type="wsib:standardAccidentIllnessType" minOccurs="1" maxOccurs="9"/> <xsd:element name="otherAccidentType" type="wsib:char2_35Type"/> </xsd:choice> </xsd:complexType> </pre>

Complex Type AdditionalInformationType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	 The diagram shows a complex type box for 'AdditionalInformationType'. Inside, there is a sequence container 'info' with a cardinality of '[1..44]'. This container holds a single element 'char2_81Type', which is linked to a separate box labeled 'char2_81Type'.		
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ AdditionalInformationType {http://www.wsib.on.ca/form7}		
Content Details	<table><tr><td> info</td><td>[1..44]</td></tr></table>	info	[1..44]
info	[1..44]		
Documentation	The complex field to hold additional information of WSIB form7.		
Source	<pre><xsd:complexType name="AdditionalInformationType"> <xsd:sequence> <xsd:element name="info" type="wsib:char2_81Type" maxOccurs="44"/> </xsd:sequence> </xsd:complexType></pre>		


Complex Type AdditionalWorkerAttributeType									
Namespace	http://www.wsib.on.ca/form7								
Diagram	 The diagram shows a complex type box for 'AdditionalWorkerAttributeType'. Inside, there is a sequence container with a cardinality of '[0..4]'. This container holds four elements: 'executive', 'electedOfficial', 'owner', and 'spouseOfOwner', each with a cardinality of '[0..1]'. All four elements are linked to a single box labeled 'yesNoType'.								
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ AdditionalWorkerAttributeType {http://www.wsib.on.ca/form7}								
Content Details	<table><tr><td> executive</td><td>[0..1]</td></tr><tr><td> electedOfficial</td><td>[0..1]</td></tr><tr><td> owner</td><td>[0..1]</td></tr><tr><td> spouseOfOwner</td><td>[0..1]</td></tr></table>	executive	[0..1]	electedOfficial	[0..1]	owner	[0..1]	spouseOfOwner	[0..1]
executive	[0..1]								
electedOfficial	[0..1]								
owner	[0..1]								
spouseOfOwner	[0..1]								
Documentation	A complex field containing up to four optional Y/N fields indicating the worker's attribute								
Source	<pre><xsd:complexType name="AdditionalWorkerAttributeType"> <xsd:sequence> <xsd:element name="executive" type="wsib:yesNoType" minOccurs="0" default="N"> <xsd:element name="electedOfficial" type="wsib:yesNoType" minOccurs="0" default="N"> <xsd:element name="owner" type="wsib:yesNoType" minOccurs="0" default="N"> <xsd:element name="spouseOfOwner" type="wsib:yesNoType" minOccurs="0" default="N"> </xsd:sequence> </xsd:complexType></pre>								

Source	<pre></xsd:element> <xsd:element name="electedOfficial" type="wsib:yesNoType" minOccurs="0" default="N"> </xsd:element> <xsd:element name="owner" type="wsib:yesNoType" minOccurs="0" default="N"> </xsd:element> <xsd:element name="spouseOfOwner" type="wsib:yesNoType" minOccurs="0" default="N"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>
--------	--

Complex Type AdvancesOnWagesType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ AdvancesOnWagesType {http://www.wsib.on.ca/form7}
Content Details	- coverageType - otherCoverageType
Documentation	An Advances On Wages field with a value of either one from standard advances on wage type or a coverage name not in the standard advances on wage type list.
Source	<pre><xsd:complexType name="AdvancesOnWagesType"> <xsd:choice> <xsd:element name="coverageType" type="wsib:advancesOnWageType"> </xsd:element> <xsd:element name="otherCoverageType" type="wsib:char2_25Type"> </xsd:element> </xsd:choice> </xsd:complexType></pre>


Complex Type ComissionTypeType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ ComissionTypeType {http://www.wsib.on.ca/form7}
Content Details	commissionType [4..4] char1_15Type
Source	<pre> <xsd:complexType name="ComissionTypeType"> <xsd:sequence> <xsd:element name="commissionType" type="wsib:char1_15Type" minOccurs="4" maxOccurs="4" default="commission"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type CommissionPaymentType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ CommissionPaymentType {http://www.wsib.on.ca/form7}
Content Details	amount columnNo
Documentation	'CommissionPaymentType' is used to hold the value of payment field in OtherEarning section for 'commission', 'premiums', 'Bonus', 'Tips' 'In Lieu' , etc..
Source	<pre> <xsd:complexType name="CommissionPaymentType"> <xsd:sequence> <xsd:element name="amount" type="wsib:otherEarningAmountType"/> <xsd:element name="columnNo" type="wsib:commissionColumnType"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type

EmploymentTypeType

Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ EmploymentTypeType {http://www.wsib.on.ca/form7}
Content Details	- employmentTypes - standardEmploymentType [1..12] - otherEmploymentType
Documentation	A complex field for WSIB Employment Type. Use employmentTypes path if coming with both standard employment type(s) and other employment type. Use standardEmploymentType path for standard employment type(s) only. Use otherEmploymentType path for only employment type other than standard employment types.
Source	<pre><xsd:complexType name="EmploymentTypeType"> <xsd:choice> <xsd:element name="employmentTypes"> <xsd:complexType> <xsd:sequence> <xsd:element name="standardEmploymentType" type="wsib:standardEmploymentTypeType" maxOccurs="12"> </xsd:element> <xsd:element name="otherEmploymentType" type="wsib:char2_50Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="standardEmploymentType" type="wsib:standardEmploymentTypeType" maxOccurs="12"> </xsd:element> <xsd:element name="otherEmploymentType" type="wsib:char2_50Type"> </xsd:element> </xsd:choice> </xsd:complexType></pre>

Complex Type FatalityReceivingHealthCareType

Namespace	http://www.wsib.on.ca/form7

Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ FatalityReceivingHealthCareType {http://www.wsib.on.ca/form7}
Content Details	- notReceived - receivingDate [0..1] - employerAwarenessDate [0..1]
Documentation	A complex field indicating if healthcare has been received (noReceived path) or not (receivingDate field and employerAwarenessDate field need to be provided). This type is only applicable for fatality injury claim.
Source	<pre><xsd:complexType name="FatalityReceivingHealthCareType"> <xsd:choice> <xsd:element name="notReceived" type="wsib:yesType"/> <xsd:sequence> <xsd:element name="receivingDate" type="wsib:dateDDMMYYYYType" maxOccurs="1" minOccurs="0"/> </xsd:sequence> <xsd:element name="employerAwarenessDate" type="wsib:dateDDMMYYYYType" maxOccurs="1" minOccurs="0"/> </xsd:choice> </xsd:complexType></pre>

Complex Type FatalityWorkerTreatmentLocationType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ FirmOrAccountNumberType {http://www.wsib.on.ca/form7}
Content Details	e firmNumber e accountNumber
Documentation	A complex field containing either a firm number field or an account number field
Source	<pre> <xsd:complexType name="FirmOrAccountNumberType"> <xsd:choice> <xsd:element name="firmNumber" type="wsib:firmNumberType"/> </xsd:element> <xsd:element name="accountNumber" type="wsib:accountNumberType"/> </xsd:element> </xsd:choice> </xsd:complexType> </pre>

Complex Type IncidentDateType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ IncidentDateType {http://www.wsib.on.ca/form7}
Content Details	e incidentDate e incidentTime [0..1] e reportedDate e reportedTime [0..1]

Documentation	An incident date type containing date and time for both incident and reported.
Source	<pre><xsd:complexType name="IncidentDateType"> <xsd:sequence> <xsd:element name="incidentDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="incidentTime" type="wsib:Time12Type" maxOccurs="1" minOccurs="0"> </xsd:element> <xsd:element name="reportedDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="reportedTime" type="wsib:Time12Type" maxOccurs="1" minOccurs="0"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>

Complex Type IncidentReportType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ IncidentReportType {http://www.wsib.on.ca/form7}
Content Details	☒ reportedPersonAndPosition [0..1] ☒ phoneNumber [0..1]
Source	<pre><xsd:complexType name="IncidentReportType"> <xsd:sequence> <xsd:element name="reportedPersonAndPosition" type="wsibf7:ReportedPersonAndPositionType" maxOccurs="1" minOccurs="0"> </xsd:element> <xsd:element name="phoneNumber" type="wsib:PhoneWithExtType" maxOccurs="1" minOccurs="0"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>

Complex Type InjuryAreaType	
Namespace	http://www.wsib.on.ca/form7


Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} ↳ <u>InjuryAreaType</u> {http://www.wsib.on.ca/form7}
Content Details	injuryAreas standardInjuryArea [1..39] otherInjuryArea
Documentation	A complex field for WSIB Injury Area. Use injury areas path if coming with both standard injury area(s) and other injury area. Use standardInjuryArea path for standard injury area(s) only. Use otherInjuryArea path for only injury area other than standard injury areas.
Source	<pre> <xsd:complexType name="InjuryAreaType"> <xsd:choice> <xsd:element name="injuryAreas"> <xsd:complexType> <xsd:sequence> <xsd:element name="standardInjuryArea" type="wsib:standardInjuryAreaType" minOccurs="1" maxOccurs="39"> </xsd:element> <xsd:element name="otherInjuryArea" type="wsib:char2_25Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="standardInjuryArea" type="wsib:standardInjuryAreaType" minOccurs="1" maxOccurs="39"> </xsd:element> <xsd:element name="otherInjuryArea" type="wsib:char2_25Type"> </xsd:element> </xsd:choice> </xsd:complexType> </pre>

Complex Type LastWorkedDateTimeType	
Namespace	http://www.wsib.on.ca/form7
Diagram	


Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ LastWorkedDateTimeType {http://www.wsib.on.ca/form7}
Content Details	date time
Documentation	A date and time complex field indicating the last date and time when the worker worked.
Source	<pre> <xsd:complexType name="LastWorkedDateTimeType"> <xsd:sequence> <xsd:element name="date" type="wsib:dateDDMMYYYYType"/> </xsd:element> <xsd:element name="time" type="wsib:Time12Type"/> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>


Complex Type NetAmountType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NetAmountType {http://www.wsib.on.ca/form7}
Content Details	federal provincial
Documentation	A net amount complex field containing two positive decimal(6,2) fields, one for federal net amount and the other for provincial net amount.
	<pre> <xsd:complexType name="NetAmountType"> </pre>

Source	<pre><xsd:sequence> <xsd:element name="federal" type="wsib:claimAmountType"> </xsd:element> <xsd:element name="provincial" type="wsib:claimAmountType"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>
--------	---

Complex Type NetClaimCodeOrAmountType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ NetClaimCodeOrAmountType {http://www.wsib.on.ca/form7}
Content Details	- claimCode - amount
Documentation	A complex field containing either a net claim code complex field or net amount complex field.
Source	<pre><xsd:complexType name="NetClaimCodeOrAmountType"> <xsd:choice> <xsd:element name="claimCode" type="wsibf7:NetClaimCodeType"> </xsd:element> <xsd:element name="amount" type="wsibf7:NetAmountType"> </xsd:element> </xsd:choice> </xsd:complexType></pre>

Complex Type NetClaimCodeType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ NetClaimCodeType {http://www.wsib.on.ca/form7}
Content Details	- federal - provincial
Documentation	A net claim code complex field containing two claimCodeType fields, one for federal claim code and the other for provincial claim code.
Source	<pre> <xsd:complexType name="NetClaimCodeType"> <xsd:sequence> <xsd:element name="federal" type="wsib:claimCodeType"> </xsd:element> <xsd:element name="provincial" type="wsib:claimCodeType"> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>


Complex Type NormalWorkingHoursOnLastDayType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ NormalWorkingHoursOnLastDayType {http://www.wsib.on.ca/form7}
Content Details	- from - to
Documentation	A complex field indicating the from and to time of the worker's normal working hours on last day.
Source	<pre> <xsd:complexType name="NormalWorkingHoursOnLastDayType"> <xsd:sequence> <xsd:element name="from" type="wsib:Time12Type"> </xsd:element> </pre>

```
<xsd:element name="to" type="wsib:Time12Type"/>
</xsd:sequence>
</xsd:complexType>
```

Complex Type OccurredOnEmployersPremises

Namespace http://www.wsib.on.ca/form7

Diagram



Inheritance Hierarchy
anyType {http://www.w3.org/2001/XMLSchema}
└ [OccurredOnEmployersPremises](#) {http://www.wsib.on.ca/form7}

Content Details
happenedOnEmployersPremises
Location [0..1]

Documentation
The "Occurred on Employer's Permits" field containing a Y/N option indicating if the accident happened on employers permits, and a location field.


Source

```
<xsd:complexType name="OccurredOnEmployersPremises">
  <xsd:sequence>
    <xsd:element name="happenedOnEmployersPremises" type="wsib:yesNoType">
    </xsd:element>
    <xsd:element name="Location" type="wsib:char2_55Type" maxOccurs="1" minOccurs="0">
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
```

Complex Type OtherEarningsType

Namespace http://www.wsib.on.ca/form7

Diagram

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ OtherEarningsType {http://www.wsib.on.ca/form7}
Content Details	- commissionTypes - earningsInWeek1 [0..1] - earningsInWeek2 [0..1] - earningsInWeek3 [0..1] - earningsInWeek4 [0..1]
Documentation	A complex field containing four repeatable fields indicating the details of weekly earnings.
Source	<pre><xsd:complexType name="OtherEarningsType"> <xsd:sequence> <xsd:element name="commissionTypes" type="wsibf7:ComissionTypeType"/> <xsd:element name="earningsInWeek1" type="wsibf7:WeeklyEarningsType" minOccurs="0"/> <xsd:element name="earningsInWeek2" type="wsibf7:WeeklyEarningsType" minOccurs="0"/> <xsd:element name="earningsInWeek3" type="wsibf7:WeeklyEarningsType" minOccurs="0"/> <xsd:element name="earningsInWeek4" type="wsibf7:WeeklyEarningsType" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type OtherPayType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	<pre>classDiagram class OtherPayType { mandatoryOTPay otherEarningAmountType voluntaryOTPay [0..1] otherEarningAmountType commission [0..4] CommissionPaymentType voluntaryOTPay otherEarningAmountType commission [0..4] CommissionPaymentType commission [1..4] CommissionPaymentType } class otherEarningAmountType class CommissionPaymentType { amount otherEarningAmountType columnNo commissionColumnType }</pre>																		
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ OtherPayType {http://www.wsib.on.ca/form7}																		
Content Details	<table><tr><td></td><td>mandatoryOTPay</td><td></td></tr><tr><td></td><td>voluntaryOTPay</td><td>[0..1]</td></tr><tr><td></td><td>commission</td><td>[0..4]</td></tr><tr><td></td><td>voluntaryOTPay</td><td></td></tr><tr><td></td><td>commission</td><td>[0..4]</td></tr><tr><td></td><td>commission</td><td>[1..4]</td></tr></table>		mandatoryOTPay			voluntaryOTPay	[0..1]		commission	[0..4]		voluntaryOTPay			commission	[0..4]		commission	[1..4]
	mandatoryOTPay																		
	voluntaryOTPay	[0..1]																	
	commission	[0..4]																	
	voluntaryOTPay																		
	commission	[0..4]																	
	commission	[1..4]																	
Documentation	The complex type containing payment fields of 'Other Earning' section.																		
Source	<pre><xsd:complexType name="OtherPayType"> <xsd:choice> <xsd:sequence> <xsd:element name="mandatoryOTPay" type="wsib:otherEarningAmountType"/> <xsd:element name="voluntaryOTPay" type="wsib:otherEarningAmountType" minOccurs="0"/> <xsd:element name="commission" type="wsibf7:CommissionPaymentType" minOccurs="0" maxOccurs="4"/> </xsd:sequence> <xsd:sequence> <xsd:element name="voluntaryOTPay" type="wsib:otherEarningAmountType"/> <xsd:element name="commission" type="wsibf7:CommissionPaymentType" minOccurs="0" maxOccurs="4"/> </xsd:sequence> <xsd:sequence> <xsd:element name="commission" type="wsibf7:CommissionPaymentType" minOccurs="1" maxOccurs="4"/> </xsd:sequence> </xsd:choice> </xsd:complexType></pre>																		

Complex Type OutOfProvinceAccidentType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ OutOfProvinceAccidentType {http://www.wsib.on.ca/form7}
Content Details	inProvinceAccident outOfProvinceAccident
Documentation	The complex field indicating if the accident happened outside the province. It comes with a Y option indicating if the accident happened inside the province, and a location field for accident outside the province.
Source	<pre> <xsd:complexType name="OutOfProvinceAccidentType"> <xsd:choice> <xsd:element name="inProvinceAccident" type="wsib:yesType"> </xsd:element> <xsd:element name="outOfProvinceAccident" type="wsib:char2_55Type"> </xsd:element> </xsd:choice> </xsd:complexType> </pre>

Complex Type PayFrequencyType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ PayFrequencyType {http://www.wsib.on.ca/form7}
Content Details	standardPayFrequency otherPayFrequency
Documentation	A pay frequency field containing either a standard pay frequency field or a non-standard pay frequency description.
	<pre> <xsd:complexType name="PayFrequencyType"> <xsd:choice> <xsd:element name="standardPayFrequency" type="wsib:payFrequencyType"> </pre>

Source	<pre> </xsd:element> <xsd:element name="otherPayFrequency" type="wsib:char2_30Type"> </xsd:element> </xsd:choice> </xsd:complexType> </pre>
--------	---


Complex Type ReceivingHealthCareType

Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ ReceivingHealthCareType {http://www.wsib.on.ca/form7}
Content Details	- notReceived - workerTreatmentLocation [0..1] - receivingDate - employerAwarenessDate - workerTreatmentLocation
Documentation	A complex field indicating if healthcare has been received (noReceived path) or not (receivingDate field and employerAwarenessDate field need to be provided). This type is only applicable for non-fatality injury claim. In version 1.10, "workerTreatmentLocation" is moved from HealthCareType to ReceivingHealthCareType when notReceived=Yes, workerTreatmentLocation is optional element. when notReceived=No, workerTreatmentLocation is mandatory element.
Source	<pre> <xsd:complexType name="ReceivingHealthCareType"> <xsd:choice> <xsd:sequence> <xsd:element name="notReceived" type="wsib:yesType"/> <xsd:element name="workerTreatmentLocation" type="wsibf7:WorkerTreatmentLocationType" minOccurs="0"/> </xsd:sequence> <xsd:sequence> <xsd:element name="receivingDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="employerAwarenessDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="workerTreatmentLocation" type="wsibf7:WorkerTreatmentLocationType"/> </xsd:sequence> </xsd:choice> </xsd:complexType> </pre>

Complex Type RegularPayRateType

Namespace <http://www.wsib.on.ca/form7>

Diagram



Inheritance Hierarchy
anyType {http://www.w3.org/2001/XMLSchema}
└ [RegularPayRateType](#) {http://www.wsib.on.ca/form7}

Content Details
payRate
payFrequency

Documentation
A regular pay rate field containing both a pay frequency and a pay rate (positive decimal(6,2)).


Source

```
<xsd:complexType name="RegularPayRateType">  
  <xsd:sequence>  
    <xsd:element name="payRate" type="wsib:noNegativeDecimal7_2Type"/>  
  </xsd:sequence>  
</xsd:complexType>
```

Complex Type RegularScheduleType

Namespace <http://www.wsib.on.ca/form7>

Diagram





Inheritance Hierarchy
anyType {http://www.w3.org/2001/XMLSchema}
└ [RegularScheduleType](#) {http://www.wsib.on.ca/form7}

Content Details	dayOfWeek hours
Documentation	A regular schedule complex field containing a day of the week and working hours of regular schedule.
Source	<pre><xsd:complexType name="RegularScheduleType"> <xsd:sequence> <xsd:element name="dayOfWeek" type="wsib:dayOfWeekType"/> <xsd:element name="hours" type="wsib:workingHourType"/> </xsd:sequence> </xsd:complexType></pre>


Complex Type RelatedProblemType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ RelatedProblemType {http://www.wsib.on.ca/form7}
Content Details	notAware relatedProblem
Documentation	A related problem complex field indicating if the worker was aware related problem (relatedProblem path) or not (notAware path).
Source	<pre><xsd:complexType name="RelatedProblemType"> <xsd:choice> <xsd:element name="notAware" type="wsib:yesType"/> <xsd:element name="relatedProblem" type="wsib:char2_50Type"/> </xsd:choice> </xsd:complexType></pre>

Complex Type RepeatingRotationalShiftWorkerType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} ↳ RepeatingRotationalShiftWorkerType {http://www.wsib.on.ca/form7}
Content Details	- numberOfDaysOn - numberOfDaysOff - hoursPerShift - numberOfWeeksInCycle
Documentation	A repeating rotation shift worker complex field containing four fields: number of days on duty (positive decimal(4,2)), number of days off duty (positive decimal(4,2)), hours per shift (positive decimal(4,2)) and number of weeks in cycle (positive decimal(4,2)).
Source	<pre> <xsd:complexType name="RepeatingRotationalShiftWorkerType"> <xsd:sequence> <xsd:element name="numberOfDaysOn" type="wsib:positiveDecimal4_2Type"/> </xsd:element> <xsd:element name="numberOfDaysOff" type="wsib:positiveDecimal4_2Type"/> </xsd:element> <xsd:element name="hoursPerShift" type="wsib:positiveDecimal4_2Type"/> </xsd:element> <xsd:element name="numberOfWeeksInCycle" type="wsib:positiveDecimal4_2Type"/> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>

Complex Type ReportedPersonAndPositionType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} ↳ ReportedPersonAndPositionType {http://www.wsib.on.ca/form7}

Content Details	lineOne lineTwo [0..1]
Source	<pre><xsd:complexType name="ReportedPersonAndPositionType"> <xsd:sequence> <xsd:element name="lineOne" type="wsib:char2_45Type"/> <xsd:element name="lineTwo" type="wsib:char2_12Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type ResponsibleNonEmployeeType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} ResponsibleNonEmployeeType {http://www.wsib.on.ca/form7}
Content Details	noOneResponsible nameAndPhoneNumber
Documentation	A complex field indicating the individual who is responsible for the accident/illness. Use noOneResponsible path for no responsible individual. Use line1 and line2 paths for the name and work phone number of the responsible individual (The line2 is optional).
Source	<pre><xsd:complexType name="ResponsibleNonEmployeeType"> <xsd:choice> <xsd:element name="noOneResponsible" type="wsib:yesType"/> <xsd:element name="nameAndPhoneNumber" type="wsib:char2_100Type"/> </xsd:choice> </xsd:complexType></pre>

Complex Type ResponsibleType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ ResponsibleType {http://www.wsib.on.ca/form7}
Content Details	- byMyself - byOtherPerson
Documentation	A responsible complex field indicating either by self or by other person (with name, phone number and extension fields).
Source	<pre> <xsd:complexType name="ResponsibleType"> <xsd:choice> <xsd:element name="byMyself" type="wsib:yesType"/> <xsd:element name="byOtherPerson" type="wsib:NamePhoneExtensionType"/> </xsd:choice> </xsd:complexType> </pre>

Complex Type RTWDateType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ RTWDateType {http://www.wsib.on.ca/form7}
Content Details	- rtwDate - rtwType - rtwType

Documentation	The return to work date field containing a RTW date and a RTW type.
Source	<pre><xsd:complexType name="RTWDateType"> <xsd:choice> <xsd:sequence> <xsd:element name="rtwDate" type="wsib:dateDDMMYYYYType"/> <xsd:element name="rtwType" type="wsib:rtwType"/> </xsd:sequence> <xsd:element name="rtwType" type="wsib:rtwType"/> </xsd:choice> </xsd:complexType></pre>

Complex Type TreatmentProfessionalOrFacilityType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} TreatmentProfessionalOrFacilityType {http://www.wsib.on.ca/form7}
Content Details	line1 line2 [0..1] line3 [0..1]
Source	<pre><xsd:complexType name="TreatmentProfessionalOrFacilityType"> <xsd:sequence> <xsd:element name="line1" type="wsib:char1_50Type"/> <xsd:element name="line2" type="wsib:char1_70Type" minOccurs="0"/> <xsd:element name="line3" type="wsib:char1_70Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type VacationPayType	
Namespace	http://www.wsib.on.ca/form7
Diagram	

Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ VacationPayType {http://www.wsib.on.ca/form7}
Content Details	- noVacationPay - vacationPayPercentage
Documentation	A vacation pay complex field containing either a noVacationPay field (with a fixed "Y" value, indicating no vacation pay) or a vacationPayPercentage field (a payPercentageType field, indicating the percentage of vacation pay).
Source	<pre> <xsd:complexType name="VacationPayType"> <xsd:choice> <xsd:element name="noVacationPay" type="wsib:yesType"/> <xsd:element name="vacationPayPercentage" type="wsib:payPercentageType"/> </xsd:choice> </xsd:complexType> </pre>

Complex Type VariedOrIrregularWorkScheduleType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ VariedOrIrregularWorkScheduleType {http://www.wsib.on.ca/form7}
Content Details	- fromDate - toDate - totalHoursWorked - totalShiftWorked
	A varied/irregular work schedule complex field containing from and to date, total working hours and total work shifts of the

Documentation	varied/irregular work schedule.
Source	<pre><xsd:complexType name="VariedOrIrregularWorkScheduleType"> <xsd:sequence> <xsd:element name="fromDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="toDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="totalHoursWorked" type="wsib:weeklyHoursType"> </xsd:element> <xsd:element name="totalShiftWorked" type="wsib:weeklyHoursType"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>


Complex Type WeeklyEarningsType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ WeeklyEarningsType {http://www.wsib.on.ca/form7}
Content Details	- fromDate - toDate - otherPayment
Documentation	A weekly earnings complex field containing the from and to date of the week, mandatory overtime pay, voluntary overtime pay and up to four commission pay.
Source	<pre><xsd:complexType name="WeeklyEarningsType"> <xsd:sequence> <xsd:element name="fromDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="toDate" type="wsib:dateDDMMYYYYType"> </xsd:element> <xsd:element name="otherPayment" type="wsibf7:OtherPayType"> <xsd:unique name="columnNumberUniqueConstraint"> <xsd:selector xpath="//wsibf7:columnNo"/> <xsd:field xpath="."/ /> </xsd:unique> </xsd:element> </xsd:sequence></pre>

</xsd:complexType>

Complex Type WitnessesType

Namespace http://www.wsib.on.ca/form7

Diagram



Inheritance Hierarchy
anyType {http://www.w3.org/2001/XMLSchema}
└ [WitnessesType](#) {http://www.wsib.on.ca/form7}

Content Details
[noWitness](#)
[witness](#)

Documentation (Revision 1.01): The type of WitnessesType/witness has been changed from "wsibf7:WitnessType" to "wsib:char1_100Type"

Documentation (Revision 1.10): The type of WitnessesType/witness has been changed from "wsib:char1_100Type" to "wsibf7:WitnessType"

Documentation A witnesses complex field containing either noWitness field (with fixed value of "Y", indicating no witness) or one/two witness field(s) (WitnessType).


Source


```
<xsd:complexType name="WitnessesType">
  <xsd:choice>
    <xsd:element name="noWitness" type="wsib:yesType"/>
    <xsd:element name="witness" type="wsibf7:WitnessType"/>
  </xsd:choice>
</xsd:complexType>
```

Complex Type WitnessType

Namespace http://www.wsib.on.ca/form7

Diagram

	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ WitnessType {http://www.wsib.on.ca/form7}
Content Details	line1 line2 [0..1]
Documentation	A witness complex type containing two lines information about name, position and work phone number of the witness.
Source	<pre> <xsd:complexType name="WitnessType"> <xsd:sequence> <xsd:element name="line1" type="wsib:char2_100Type"/> <xsd:element name="line2" type="wsib:char2_100Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </pre>

Complex Type WorkerTreatmentLocationType	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ WorkerTreatmentLocationType {http://www.wsib.on.ca/form7}
Content Details	locations standardLocation [1..6] otherLocation
	A complex field for worker treatment location. Use locations path if coming with both standard worker treatment location(s) and other worker

Documentation	treatment location. Use standardWorkerTreatmentLocation path for standard worker treatment location(s) only. Use otherWorkerTreatmentLocation path for only worker treatment location other than standard worker treatment locations. "treatmentProfessionalOrFacility" field is optional and applies to all scenarios. This type is only applicable for non-fatality injury report. In version 1.10, element "treatmentProfessionalOrFacility" is moved to ReceivingHealthCareType .
Source	<pre><xsd:complexType name="WorkerTreatmentLocationType"> <xsd:sequence> <xsd:choice> <xsd:element name="locations"> <xsd:complexType> <xsd:sequence> <xsd:element name="standardLocation" type="wsib:standardWorkerTreatmentLocationType" maxOccurs="6"> </xsd:element> <xsd:element name="otherLocation" type="wsib:char1_70Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </xsd:element> <xsd:element name="standardLocation" type="wsib:standardWorkerTreatmentLocationType" maxOccurs="6"> </xsd:element> <xsd:element name="otherLocation" type="wsib:char1_70Type"> </xsd:element> </xsd:choice> </xsd:sequence> </xsd:complexType></pre>

Elements

Groups

Attributes

Attribute Groups

Anonymous Types

accidentTypes's Anonymous Complex Type (accidentTypesType)	
Namespace	http://www.wsib.on.ca/form7


Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ (accidentTypesType) {http://www.wsib.on.ca/form7}
Content Details	standardAccidentType [1..9] otherAccidentType
Source	<pre> <xsd:complexType> <xsd:sequence> <xsd:element name="standardAccidentType" type="wsib:standardAccidentIllnessType" minOccurs="1" maxOccurs="9"> </xsd:element> <xsd:element name="otherAccidentType" type="wsib:char2_35Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>

employmentTypes's Anonymous Complex Type (employmentTypesType)	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ (employmentTypesType) {http://www.wsib.on.ca/form7}
Content Details	standardEmploymentType [1..12] otherEmploymentType
Source	<pre> <xsd:complexType> <xsd:sequence> <xsd:element name="standardEmploymentType" type="wsib:standardEmploymentTypeType" maxOccurs="12"> </xsd:element> <xsd:element name="otherEmploymentType" type="wsib:char2_50Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>

locations's Anonymous Complex Type (locationsType)	
Namespace	http://www.wsib.on.ca/form7
Diagram	<pre> classDiagram class locationsType { standardLocation [1..6] standardWorkerTreatmentLocationType otherLocation char1_70Type } </pre>
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ (locationsType) {http://www.wsib.on.ca/form7}
Content Details	standardLocation [1..6] otherLocation
Source	<pre> <xsd:complexType> <xsd:sequence> <xsd:element name="standardLocation" type="wsib:standardWorkerTreatmentLocationType" maxOccurs="6"> </xsd:element> <xsd:element name="otherLocation" type="wsib:char1_70Type"> </xsd:element> </xsd:sequence> </xsd:complexType> </pre>

injuryAreas's Anonymous Complex Type (injuryAreasType)	
Namespace	http://www.wsib.on.ca/form7
Diagram	<pre> classDiagram class injuryAreasType { standardInjuryArea [1..39] standardInjuryAreaType otherInjuryArea char2_25Type } </pre>
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ (injuryAreasType) {http://www.wsib.on.ca/form7}
Content Details	standardInjuryArea [1..39] otherInjuryArea
	<pre> <xsd:complexType> <xsd:sequence> </pre>

Source	<pre><xsd:element name="standardInjuryArea" type="wsib:standardInjuryAreaType" minOccurs="1" maxOccurs="39"> </xsd:element> <xsd:element name="otherInjuryArea" type="wsib:char2_25Type"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>
--------	---

locations's Anonymous Complex Type (locationsType)	
Namespace	http://www.wsib.on.ca/form7
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ (locationsType) {http://www.wsib.on.ca/form7}
Content Details	standardLocation otherLocation [1..6]
Source	<pre><xsd:complexType> <xsd:sequence> <xsd:element name="standardLocation" type="wsib:standardWorkerTreatmentLocationType" maxOccurs="6"> </xsd:element> <xsd:element name="otherLocation" type="wsib:char1_70Type"> </xsd:element> </xsd:sequence> </xsd:complexType></pre>

Schema

Schema	BasicComplexTypes.xsd
Target Namespace	http://www.wsib.on.ca
Namespace Table	http://www.wsib.on.ca http://www.w3.org/2001/XMLSchema

Directives

[include BasicSimpleTypes.xsd](#)

Elements


Complex Types

- [AddressType](#)
- [AddressType2](#)
- [CityProvinceCountryType](#)
- [DateTimeType](#)
- [DateType](#)
- [NamePhoneExtensionType](#)
- [NamePhoneType](#)
- [NamePositionPhoneThreeLinesType](#)
- [NamePositionPhoneTwoLinesType](#)
- [NameType](#)
- [OptionalAddressType](#)
- [PhoneWithExtType](#)
- [PreferredLanguageType](#)
- [Time12Type](#)
- [TimeType](#)
- [WSIBReservedFieldsType](#)


Simple Types

Types

Complex Type AddressType	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ AddressType {http://www.wsib.on.ca}
Content Details	- street - city - province - postalCode
Documentation	A standard address complex field containing street, city, province and postal code. All fields are mandatory.
Source	<pre><xsd:complexType name="AddressType"> <xsd:sequence> <xsd:element name="street" type="wsib:char1_45Type"/> <xsd:element name="city" type="wsib:nonNumeric1_30Type"/> <xsd:element name="province" type="wsib:nonNumeric1_3Type"/> <xsd:element name="postalCode" type="wsib:char1_10Type"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type AddressType2	
Namespace	http://www.wsib.on.ca
Diagram	



Inheritance Hierarchy

anyType {http://www.w3.org/2001/XMLSchema}
└ [AddressType2](#) {http://www.wsib.on.ca}

Content Details

- street
- city
- province
- postalCode

Documentation

A standard address complex field containing street, city, province and postal code. All fields are mandatory.


Source

```
<xsd:complexType name="AddressType2">
  <xsd:sequence>
    <xsd:element name="street" type="wsib:char2_45Type"/>

    <xsd:element name="city" type="wsib:nonNumeric2_30Type"/>

    <xsd:element name="province" type="wsib:nonNumeric2_3Type"/>
    <xsd:element name="postalCode" type="wsib:char2_10Type"/>
  </xsd:sequence>
</xsd:complexType>
```


Complex Type CityProvinceCountryType	
Namespace	http://www.wsib.on.ca
Diagram	




Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ CityProvinceCountryType {http://www.wsib.on.ca}
Content Details	e city e province e country
Documentation	An address complex field containing city, province and country. All fields are mandatory.
Source	<pre><xsd:complexType name="CityProvinceCountryType"> <xsd:all> <xsd:element name="city" type="wsib:char55Type"/> <xsd:element name="province" type="wsib:char55Type"/> <xsd:element name="country" type="wsib:char55Type"/> </xsd:all> </xsd:complexType></pre>

Complex Type DateTimeType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ DateTimeType {http://www.wsib.on.ca}
Content Details	e date e time

Documentation	A complex field containing date (DDMMYYYY) and time(HHMMSS). All fields are mandatory.
Source	<pre><xsd:complexType name="DateTimeType"> <xsd:sequence> <xsd:element name="date" type="wsib:dateDDMMYYYYType"/> <xsd:element name="time" type="wsib:timeHHMMSSType"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type DateType	
Namespace	http://www.wsib.on.ca
Diagram	 The diagram shows a complex type named 'DateType'. It contains three elements: 'day' of type 'dayType', 'month' of type 'monthType', and 'year' of type 'yearType'. Each element is represented by a box with a small 'e' icon. Arrows point from the element boxes to their respective base type boxes on the right, which are labeled 'dayType', 'monthType', and 'yearType'.
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ DateType {http://www.wsib.on.ca}
Content Details	- day - month - year
Documentation	A complex date field containing day, month and year. All fields are mandatory.
Source	<pre><xsd:complexType name="DateType"> <xsd:all> <xsd:element name="day" type="wsib:dayType"/> <xsd:element name="month" type="wsib:monthType"/> <xsd:element name="year" type="wsib:yearType"/> </xsd:all> </xsd:complexType></pre>

Complex Type NamePhoneExtensionType	
Namespace	http://www.wsib.on.ca


Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NamePhoneExtensionType {http://www.wsib.on.ca}
Content Details	- name - phoneNumber - extension [0..1]
Documentation	A typical complex field containing name, phone number and extension. Extension field is optional.
Source	<pre><xsd:complexType name="NamePhoneExtensionType"> <xsd:all> <xsd:element name="name" type="wsib:nonNumeric2_35Type"/> <xsd:element name="phoneNumber" type="wsib:phone13Type"/> <xsd:element name="extension" type="wsib:numeric1_6Type" minOccurs="0"/> </xsd:all> </xsd:complexType></pre>


Complex Type NamePhoneType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NamePhoneType {http://www.wsib.on.ca}
Content	name

Details	 phoneNumber
Documentation	A typical complex field containing name and phone number. All fields are mandatory.
Source	<pre><xsd:complexType name="NamePhoneType"> <xsd:all> <xsd:element name="name" type="wsib:char55Type"/> <xsd:element name="phoneNumber" type="wsib:phoneType"/> </xsd:all> </xsd:complexType></pre>

Complex Type NamePositionPhoneThreeLinesType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NamePositionPhoneThreeLinesType {http://www.wsib.on.ca}
Content Details	 name  position  phoneNumber
Documentation	A typical complex field containing name, position and phone number. All fields are mandatory.
Source	<pre><xsd:complexType name="NamePositionPhoneThreeLinesType"> <xsd:all> <xsd:element name="name" type="wsib:char55Type"/> <xsd:element name="position" type="wsib:char55Type"/> <xsd:element name="phoneNumber" type="wsib:phoneType"/> </xsd:all> </xsd:complexType></pre>

Complex Type NamePositionPhoneTwoLinesType	
Namespace	http://www.wsib.on.ca


Diagram	 The diagram shows a complex type box titled "NamePositionPhoneTwoLinesType". Inside the box, there are two elements: "name" and "positionAndPhoneNumber", both of type "char55Type". A separate box labeled "char55Type" has arrows pointing to the type of each element inside the complex type box.
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NamePositionPhoneTwoLinesType {http://www.wsib.on.ca}
Content Details	e name e positionAndPhoneNumber
Documentation	A typical complex field containing name, position and phone number. Position and phone number are within one field. All fields are mandatory.
Source	<pre><xsd:complexType name="NamePositionPhoneTwoLinesType"> <xsd:all> <xsd:element name="name" type="wsib:char55Type"/> <xsd:element name="positionAndPhoneNumber" type="wsib:char55Type"/> </xsd:all> </xsd:complexType></pre>


Complex Type NameType	
Namespace	http://www.wsib.on.ca
Diagram	 The diagram shows a complex type box titled "NameType". Inside the box, there are two elements: "firstName" and "lastName", both of type "string".
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ NameType {http://www.wsib.on.ca}
Content Details	e firstName e lastName
Documentation	A typical complex name field containing first name and last name. All fields are mandatory.
	<pre><xsd:complexType name="NameType"></pre>

Source	<pre><xsd:sequence> <xsd:element name="firstName" type="xsd:string"/> <xsd:element name="lastName" type="xsd:string"/> </xsd:sequence> </xsd:complexType></pre>
--------	---


Complex Type OptionalAddressType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └─ OptionalAddressType {http://www.wsib.on.ca}
Content Details	- street [0..1] - city [0..1] - province [0..1] - postalCode [0..1]
Documentation	A standard address complex field containing street, city, province and postal code. All fields are optional.
Source	<pre><xsd:complexType name="OptionalAddressType"> <xsd:sequence> <xsd:element name="street" type="wsib:char1_45Type" minOccurs="0"/> <xsd:element name="city" type="wsib:nonNumeric1_30Type" minOccurs="0"/> <xsd:element name="province" type="wsib:nonNumeric1_3Type" minOccurs="0"/> <xsd:element name="postalCode" type="wsib:char1_10Type" minOccurs="0"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type PhoneWithExtType	
Namespace	http://www.wsib.on.ca


Diagram	 The diagram shows a complex type named 'PhoneWithExtType'. It contains two elements: 'phoneNumber' of type 'phone13Type' and 'extension' of type 'numeric1_6Type' with a cardinality of [0..1]. Arrows point from the type names in the diagram to their respective base type definitions on the right.
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ PhoneWithExtType {http://www.wsib.on.ca}
Content Details	- phoneNumber - extension [0..1]
Documentation	A typical phone number field containing phone number and extension. Phone number field is optional.
Source	<pre><xsd:complexType name="PhoneWithExtType"> <xsd:all> <xsd:element name="phoneNumber" type="wsib:phone13Type"/> <xsd:element name="extension" type="wsib:numeric1_6Type" minOccurs="0"/> </xsd:all> </xsd:complexType></pre>

Complex Type PreferredLanguageType	
Namespace	http://www.wsib.on.ca
Diagram	 The diagram shows a complex type named 'PreferredLanguageType'. It contains two elements: 'priLanguage' of type 'priLanguageType' and 'otherLanguage' of type 'nonNumeric1_20Type'. Arrows point from the type names in the diagram to their respective base type definitions on the right.
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ PreferredLanguageType {http://www.wsib.on.ca}
Content Details	- priLanguage - otherLanguage
Documentation	A field for preferred language. Use priLanguage path for English or French, or use otherLanguage path for the name of language other than English/French.
	<pre><xsd:complexType name="PreferredLanguageType"></pre>

Source	<pre><xsd:choice> <xsd:element name="priLanguage" type="wsib:priLanguageType"/> <xsd:element name="otherLanguage" type="wsib:nonNumeric1_20Type"/> </xsd:choice> </xsd:complexType></pre>
--------	---

Complex Type Time12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ Time12Type {http://www.wsib.on.ca}
Content Details	- time - AMorPM
Documentation	A complex field containing a 12-hour time field and an AM or PM option. All fields are mandatory.
Source	<pre><xsd:complexType name="Time12Type"> <xsd:sequence> <xsd:element name="time" type="wsib:timeHHMM12Type"/> <xsd:element name="AMorPM" type="wsib:timeAMPMTType"/> </xsd:sequence> </xsd:complexType></pre>

Complex Type TimeType	
Namespace	http://www.wsib.on.ca
Diagram	



Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ TimeType {http://www.wsib.on.ca}
Content Details	hour minute
Documentation	A complex time field containing 24-hour and minute fields.
Source	<pre><xsd:complexType name="TimeType"> <xsd:all> <xsd:element name="hour" type="wsib:hour24Type"/> <xsd:element name="minute" type="wsib:minuteType"/> </xsd:all> </xsd:complexType></pre>

Complex Type WSIBReservedFieldsType	
Namespace	http://www.wsib.on.ca
Diagram	The diagram shows a complex type named 'WSIBReservedFieldsType' containing two elements: 'reservedField1' of type 'string' and 'reservedField2' of type 'string'. The elements are shown in a sequence within a box.
Inheritance Hierarchy	anyType {http://www.w3.org/2001/XMLSchema} └ WSIBReservedFieldsType {http://www.wsib.on.ca}
Content Details	reservedField1 reservedField2
Source	<pre><xsd:complexType name="WSIBReservedFieldsType"> <xsd:sequence> <xsd:element name="reservedField1" type="xsd:string"/> <xsd:element name="reservedField2" type="xsd:string"/> </xsd:sequence></pre>

Elements

Groups

Attributes

Attribute Groups

Schema

Schema	BasicSimpleTypes.xsd
Target Namespace	http://www.wsib.on.ca
Namespace Table	http://www.wsib.on.ca http://www.w3.org/2001/XMLSchema

Elements

Complex Types

Simple Types

- [accidentOccurrenceType](#)
- [accountNumberType](#)
- [advancesOnWageType](#)
- [char1_100Type](#)
- [char1_10Type](#)
- [char1_12Type](#)
- [char1_15Type](#)
- [char1_20Type](#)
- [char1_25Type](#)
- [char1_30Type](#)
- [char1_35Type](#)
- [char1_3Type](#)
- [char1_40Type](#)
- [char1_45Type](#)
- [char1_50Type](#)
- [char1_55Type](#)
- [char1_600Type](#)
- [char1_70Type](#)
- [char1_81Type](#)
- [char1_84Type](#)
- [char1_86Type](#)
- [char10_45Type](#)
- [char10_55Type](#)
- [char10_625Type](#)
- [char10_90Type](#)
- [char128Type](#)
- [char12Type](#)
- [char13_13Type](#)
- [char13Type](#)
- [char15Type](#)
- [char165Type](#)
- [char16Type](#)
- [char190Type](#)
- [char1Type](#)
- [char2_100Type](#)
- [char2_10Type](#)
- [char2_12Type](#)
- [char2_15Type](#)
- [char2_25Type](#)
- [char2_30Type](#)

[char2_35Type](#)
[char2_40Type](#)
[char2_45Type](#)
[char2_50Type](#)
[char2_55Type](#)
[char2_81Type](#)
[char2_84Type](#)
[char2_86Type](#)
[char2_8Type](#)
[char20Type](#)
[char22Type](#)
[char25Type](#)
[char3_40Type](#)
[char3_7Type](#)
[char30Type](#)
[char32Type](#)
[char3800Type](#)
[char4_45Type](#)
[char40Type](#)
[char45Type](#)
[char5_20Type](#)
[char5_25Type](#)
[char5_30Type](#)
[char5_40Type](#)
[char5_45Type](#)
[char5_55Type](#)
[char5_7Type](#)
[char512Type](#)
[char55Type](#)
[char625Type](#)
[char64Type](#)
[char6Type](#)
[char7_12Type](#)
[char7_8Type](#)
[char7Type](#)
[char8_8Type](#)
[char80Type](#)
[char8Type](#)
[char9_9Type](#)
[char90Type](#)
[char9Type](#)
[claimAmountType](#)
[claimCodeType](#)
[claimNumberType](#)
[classificationUnitCodeType](#)
[commissionColumnType](#)
[confirmationNumberType](#)
[dateDDMMYYYYType](#)
[dateYYYY-MM-DDType](#)
[dayOfWeekType](#)
[dayType](#)
[decimal3_2Type](#)
[decimal4_2Type](#)
[decimal5_2Type](#)
[decimal7_2Type](#)
[digit3Type](#)
[digit9Type](#)
[earningsType](#)
[falseType](#)
[fatalityAccidentIllnessType](#)

[fatalityAccidentOccurrenceType](#)
[fatalityInjuryAreaType](#)
[firmNumberType](#)
[genderType](#)
[hour12Type](#)
[hour24Type](#)
[int3_3Type](#)
[int3Type](#)
[int6Type](#)
[minuteType](#)
[monthType](#)
[noNegativeDecimal6_2Type](#)
[noNegativeDecimal7_2Type](#)
[nonNumeric1_20Type](#)
[nonNumeric1_25Type](#)
[nonNumeric1_30Type](#)
[nonNumeric1_35Type](#)
[nonNumeric1_3Type](#)
[nonNumeric1_50Type](#)
[nonNumeric2_20Type](#)
[nonNumeric2_25Type](#)
[nonNumeric2_30Type](#)
[nonNumeric2_35Type](#)
[nonNumeric2_3Type](#)
[nonNumeric2_50Type](#)
[noType](#)
[numeric1_6Type](#)
[offerToModifiedWorkBeenAcceptedType](#)
[otherEarningAmountType](#)
[payFrequencyType](#)
[payPercentageType](#)
[phone11Type](#)
[phone13Type](#)
[phoneType](#)
[positiveDecimal3_2Type](#)
[positiveDecimal4_2Type](#)
[positiveDecimal5_2Type](#)
[positiveDecimal6_2Type](#)
[positiveDecimal7_2Type](#)
[positivePercentageDecimalType](#)
[priLanguageType](#)
[rateGroupType](#)
[rtwType](#)
[secondType](#)
[signedDigit3Type](#)
[standardAccidentIllnessType](#)
[standardEmploymentTypeType](#)
[standardInjuryAreaType](#)
[standardWorkerTreatmentLocationType](#)
[timeAMPMTType](#)
[timeHHMM12Type](#)
[timeHHMM24Type](#)
[timeHHMMSSType](#)
[timestampType](#)
[timeType](#)
[trueFalseType](#)
[trueType](#)
[weeklyHoursType](#)
[workingHourType](#)
[yearType](#)

Types


Simple Type accidentOccurrenceType	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'accidentOccurrenceType' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ accidentOccurrenceType {http://www.wsib.on.ca}
Allowable Values	S G O
Documentation	ACCIDENT/ILLNESS OCCURRENCE: S - SUDDEN/OCCURRENCE G - GRADUALLY OCCURRING O - OCCUPATIONAL DISEASE
Source	<pre><xsd:simpleType name="accidentOccurrenceType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="S"/> <xsd:enumeration value="G"/> <xsd:enumeration value="O"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type accountNumberType	
Namespace	http://www.wsib.on.ca
Diagram	

	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ accountNumberType {http://www.wsib.on.ca}
Allowable Values	
Documentation	This is a 1 - 7 digit field for WSIB account number.
Source	<pre> <xsd:simpleType name="accountNumberType"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="7"/> <xsd:pattern value="\d{1,7}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type advancesOnWageType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ advancesOnWageType {http://www.wsib.on.ca}
Allowable Values	NO_ADVANCE FULL_REGULAR
Documentation	ADVANCES ON WAGES options: NO_ADVANCE: The worker is not being paid while he/she recovers. FULL_REGULAR: The worker is being paid with full or regular recoverage.
Source	<pre> <xsd:simpleType name="advancesOnWageType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="NO_ADVANCE"/> <xsd:enumeration value="FULL_REGULAR"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_100Type

Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char1_100Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_100Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 100 characters.
Source	<pre><xsd:simpleType name="char1_100Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="100"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char1_10Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char1_10Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_10Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 10 characters.
Source	<pre><xsd:simpleType name="char1_10Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="10"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type

char1_12Type

Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char1_12Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_12Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 12 characters.
Source	<pre><xsd:simpleType name="char1_12Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="12"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char1_15Type

Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char1_15Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_15Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 15 characters.
Source	<pre><xsd:simpleType name="char1_15Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="15"/> </xsd:restriction> </xsd:simpleType></pre>


Simple Type char1_20Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class char1_20Type </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_20Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 20 characters.
Source	<pre> <xsd:simpleType name="char1_20Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="20"/> </xsd:restriction> </xsd:simpleType> </pre>


Simple Type char1_25Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class char1_25Type </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_25Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 25 characters.
Source	<pre> <xsd:simpleType name="char1_25Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="25"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_30Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class string { http://www.w3.org/2001/XMLSchema } class char1_30Type { http://www.wsib.on.ca } string -- > char1_30Type </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_30Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 30 characters.
Source	<pre> <xsd:simpleType name="char1_30Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="30"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_35Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class string { http://www.w3.org/2001/XMLSchema } class char1_35Type { http://www.wsib.on.ca } string -- > char1_35Type </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_35Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 35 characters.
Source	<pre> <xsd:simpleType name="char1_35Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </pre>


Simple Type char1_3Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_3Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 3 characters.
Source	<pre> <xsd:simpleType name="char1_3Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="3"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_40Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_40Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 40 characters.
Source	<pre> <xsd:simpleType name="char1_40Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="40"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_45Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_45Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 45 characters.
Source	<pre> <xsd:simpleType name="char1_45Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="45"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_50Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char1_50Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 50 characters.
Source	<pre> <xsd:simpleType name="char1_50Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="50"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_55Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_55Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 55 characters.
Source	<pre> <xsd:simpleType name="char1_55Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="55"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char1_600Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1_600Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 600 characters.
Source	<pre> <xsd:simpleType name="char1_600Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="600"/> </xsd:restriction> </pre>

</xsd:simpleType>

Simple Type **char1_70Type**

Namespace http://www.wsib.on.ca

Diagram



Inheritance Hierarchy
string {http://www.w3.org/2001/XMLSchema}
└ [char1_70Type](#) {http://www.wsib.on.ca}

Allowable Values

Documentation A field with from 1 to 70 characters.

Source

```
<xsd:simpleType name="char1_70Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="70"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **char1_81Type**

Namespace http://www.wsib.on.ca

Diagram



Inheritance Hierarchy
string {http://www.w3.org/2001/XMLSchema}
└ [char1_81Type](#) {http://www.wsib.on.ca}

Allowable Values

Documentation A field with from 1 to 81 characters.

Source

```
<xsd:simpleType name="char1_81Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="81"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
</xsd:restriction>
</xsd:simpleType>
```

Simple Type **char1_84Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
string {<http://www.w3.org/2001/XMLSchema>}
└─ [char1_84Type](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation A field with from 1 to 84 characters.


Source

```
<xsd:simpleType name="char1_84Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="84"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **char1_86Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
string {<http://www.w3.org/2001/XMLSchema>}
└─ [char1_86Type](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation A field with from 1 to 86 characters.

Source


```
<xsd:simpleType name="char1_86Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
```

```
<xsd:maxLength value="86"/>
</xsd:restriction>
</xsd:simpleType>
```

Simple Type **char10_45Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy

- string {<http://www.w3.org/2001/XMLSchema>}
- ↳ [char10_45Type](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation A field with from 10 to 45 characters.


Source

```
<xsd:simpleType name="char10_45Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="10"/>
    <xsd:maxLength value="45"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **char10_55Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy

- string {<http://www.w3.org/2001/XMLSchema>}
- ↳ [char10_55Type](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation A field with from 10 to 55 characters.

```
<xsd:simpleType name="char10_55Type">
  <xsd:restriction base="xsd:string">
```

Source	<pre><xsd:minLength value="10"/> <xsd:maxLength value="55"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char10_625Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char10_625Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 10 to 625 characters.
Source	<pre><xsd:simpleType name="char10_625Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="10"/> <xsd:maxLength value="625"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char10_90Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char10_90Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 10 to 90 characters.
	<pre><xsd:simpleType name="char10_90Type"></pre>

Source	<pre><xsd:restriction base="xsd:string"> <xsd:minLength value="10"/> <xsd:maxLength value="90"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char128Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char128Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 128 characters.
Source	<pre><xsd:simpleType name="char128Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="128"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char12Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field up to 12 characters.
	<pre><xsd:simpleType name="char12Type"></pre>

Source	<pre><xsd:restriction base="xsd:string"> <xsd:maxLength value="12"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char13_13Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char13_13Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with exactly 13 characters.
Source	<pre><xsd:simpleType name="char13_13Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="13"/> <xsd:maxLength value="13"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char13Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char13Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 13 characters.
	<pre><xsd:simpleType name="char13Type"></pre>

Source	<pre><xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="13"/> </xsd:restriction> </xsd:simpleType></pre>
--------	--

Simple Type char15Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char15Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 15 characters.
Source	<pre><xsd:simpleType name="char15Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> </xsd:restriction> </xsd:simpleType></pre>


Simple Type char165Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char165Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 165 characters.
	<pre><xsd:simpleType name="char165Type"></pre>

Source	<pre><xsd:restriction base="xsd:string"> <xsd:maxLength value="165"/> </xsd:restriction> </xsd:simpleType></pre>
--------	--

Simple Type char16Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char16Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 16 characters.
Source	<pre><xsd:simpleType name="char16Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="16"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char190Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char190Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 190 characters.
	<pre><xsd:simpleType name="char190Type"> <xsd:restriction base="xsd:string"></pre>


Source	<pre><xsd:maxLength value="190"/> </xsd:restriction> </xsd:simpleType></pre>
--------	--

Simple Type char1Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char1Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 1 characters.
Source	<pre><xsd:simpleType name="char1Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="1"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_100Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_100Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 100 characters.
Source	<pre><xsd:simpleType name="char2_100Type"> <xsd:restriction base="xsd:string"></pre>

Source	<pre><xsd:minLength value="2"/> <xsd:maxLength value="100"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char2_10Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char2_10Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 10 characters.
Source	<pre><xsd:simpleType name="char2_10Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="10"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char2_12Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 12 characters.
	<pre><xsd:simpleType name="char2_12Type"></pre>

Source	<pre><xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="12"/> </xsd:restriction> </xsd:simpleType></pre>
--------	--

Simple Type char2_15Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_15Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 15 characters.
Source	<pre><xsd:simpleType name="char2_15Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="15"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_25Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_25Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 25 characters.

Source	<pre><xsd:simpleType name="char2_25Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="25"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char2_30Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_30Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 30 characters.
Source	<pre><xsd:simpleType name="char2_30Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="30"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_35Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_35Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 35 characters.

Source	<pre> <xsd:simpleType name="char2_35Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type char2_40Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_40Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 40 characters.
Source	<pre> <xsd:simpleType name="char2_40Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="40"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char2_45Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_45Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 45 characters.

Source	<pre><xsd:simpleType name="char2_45Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="45"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char2_50Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char2_50Type'. It is represented by a rounded rectangle with a small icon on the left and the text 'char2_50Type' inside.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_50Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 50 characters.
Source	<pre><xsd:simpleType name="char2_50Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="50"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_55Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char2_55Type'. It is represented by a rounded rectangle with a small icon on the left and the text 'char2_55Type' inside.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_55Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 55 characters.


Source	<pre><xsd:simpleType name="char2_55Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="55"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char2_81Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char2_81Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_81Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 81 characters.
Source	<pre><xsd:simpleType name="char2_81Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="81"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_84Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char2_84Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_84Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 84 characters.

Source	<pre><xsd:simpleType name="char2_84Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="84"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char2_86Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char2_86Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_86Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 86 characters.
Source	<pre><xsd:simpleType name="char2_86Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="86"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char2_8Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char2_8Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char2_8Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with from 2 to 8 characters.
Source	<pre><xsd:simpleType name="char2_8Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="8"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char20Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char20Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up 20 characters.
Source	<pre><xsd:simpleType name="char20Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="20"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char22Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char22Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with up 22 characters.
Source	<pre><xsd:simpleType name="char22Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="22"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char25Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char25Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up 25 characters.
Source	<pre><xsd:simpleType name="char25Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="25"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char3_40Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char3_40Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with from 3 to 40 characters.
Source	<pre><xsd:simpleType name="char3_40Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="3"/> <xsd:maxLength value="40"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char3_7Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char3_7Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char3_7Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 3 to 7 characters.
Source	<pre><xsd:simpleType name="char3_7Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="3"/> <xsd:maxLength value="7"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char30Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char30Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char30Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with up to 30 characters.
Source	<pre><xsd:simpleType name="char30Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="30"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char32Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char32Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char32Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 32 characters.
Source	<pre><xsd:simpleType name="char32Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="32"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char3800Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char3800Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char3800Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 3800 characters.

Source	<pre><xsd:simpleType name="char3800Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="3800"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char4_45Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char4_45Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char4_45Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 4 to 45 characters.
Source	<pre><xsd:simpleType name="char4_45Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="4"/> <xsd:maxLength value="45"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char40Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char40Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char40Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 40 characters.

Source	<pre> <xsd:simpleType name="char40Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="40"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type char45Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> graph TD A[xsd:string {http://www.w3.org/2001/XMLSchema}] --> B[char45Type {http://www.wsib.on.ca}] </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} char45Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 45 characters.
Source	<pre> <xsd:simpleType name="char45Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="45"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char5_20Type	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> graph TD A[xsd:string {http://www.w3.org/2001/XMLSchema}] --> B[char5_20Type {http://www.wsib.on.ca}] </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} char5_20Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 20 characters.

Source	<pre><xsd:simpleType name="char5_20Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="20"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char5_25Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char5_25Type'. The type is represented by a rounded rectangle with a small icon on the left and the name 'char5_25Type' inside.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char5_25Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 25 characters.
Source	<pre><xsd:simpleType name="char5_25Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="25"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char5_30Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char5_30Type'. The type is represented by a rounded rectangle with a small icon on the left and the name 'char5_30Type' inside.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char5_30Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 30 characters.

Source	<pre> <xsd:simpleType name="char5_30Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="30"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type char5_40Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char5_40Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 40 characters.
Source	<pre> <xsd:simpleType name="char5_40Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="3"/> <xsd:maxLength value="40"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char5_45Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char5_45Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 45 characters.

Source	<pre><xsd:simpleType name="char5_45Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="45"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char5_55Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char5_55Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char5_55Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 55 characters.
Source	<pre><xsd:simpleType name="char5_55Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="55"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char5_7Type	
Namespace	http://www.wsib.on.ca
Diagram	 A UML diagram showing a simple type named 'char5_7Type' represented by a rounded rectangle with a small icon on the left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char5_7Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 5 to 7 characters.

Source	<pre><xsd:simpleType name="char5_7Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="5"/> <xsd:maxLength value="7"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type char512Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char512Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 512 characters.
Source	<pre><xsd:simpleType name="char512Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="512"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char55Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char55Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 55 characters.

Source	<pre> <xsd:simpleType name="char55Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="55"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type char625Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char625Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 625 characters.
Source	<pre> <xsd:simpleType name="char625Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="625"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char64Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ char64Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with up to 64 characters.
Source	<pre><xsd:simpleType name="char64Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="64"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char6Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char6Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 6 characters.
Source	<pre><xsd:simpleType name="char6Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="6"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char7_12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char7_12Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with 7 to 12 characters.
Source	<pre><xsd:simpleType name="char7_12Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="7"/> <xsd:maxLength value="12"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char7_8Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char7_8Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char7_8Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with 7 to 8 characters.
Source	<pre><xsd:simpleType name="char7_8Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="7"/> <xsd:maxLength value="8"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char7Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'char7Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char7Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with up to 7 characters.
Source	<pre> <xsd:simpleType name="char7Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="7"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char8_8Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	<pre> string {http://www.w3.org/2001/XMLSchema} └─ char8_8Type {http://www.wsib.on.ca} </pre>
Allowable Values	
Documentation	A field with 8 characters.
Source	<pre> <xsd:simpleType name="char8_8Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="8"/> <xsd:maxLength value="8"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type char80Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	<pre> string {http://www.w3.org/2001/XMLSchema} └─ char80Type {http://www.wsib.on.ca} </pre>
Allowable Values	

Documentation	A field with up to 80 characters.
Source	<pre><xsd:simpleType name="char80Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="80"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char8Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char8Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 8 characters.
Source	<pre><xsd:simpleType name="char8Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="8"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char9_9Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char9_9Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with 9 characters.
Source	<pre><xsd:simpleType name="char9_9Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="9"/> <xsd:maxLength value="9"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char90Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char90Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with up to 90 characters.
Source	<pre><xsd:simpleType name="char90Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="90"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type char9Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ char9Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with up to 9 characters.
Source	<pre><xsd:simpleType name="char9Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="9"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type claimAmountType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a rounded rectangle with a small icon on the left and the text "claimAmountType" inside.
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └─ claimAmountType {http://www.wsib.on.ca}
Allowable Values	
Source	<pre><xsd:simpleType name="claimAmountType"> <xsd:restriction base="xsd:decimal"> <xsd:pattern value="\d{1,5}(\.\d{1,2})?" /> </xsd:restriction> </xsd:simpleType></pre>

Simple Type claimCodeType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a rounded rectangle with a small icon on the left and the text "claimCodeType" inside.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ claimCodeType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB claim code.

Source	<pre> <xsd:simpleType name="claimCodeType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(0?[0-9XE]) 10"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type claimNumberType	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class claimNumberType["claimNumberType"] style claimNumberType fill:#fff,stroke:#000,stroke-width:1px </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ claimNumberType {http://www.wsib.on.ca}
Allowable Values	
Documentation	Eight digit field for WSIB claim code.
Source	<pre> <xsd:simpleType name="claimNumberType"> <xsd:restriction base="xsd:string"> <xsd:length value="8"/> <xsd:pattern value="\d{8}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type classificationUnitCodeType	
Namespace	http://www.wsib.on.ca
Diagram	 <pre> classDiagram class classificationUnitCodeType["classificationUnitCodeType"] style classificationUnitCodeType fill:#fff,stroke:#000,stroke-width:1px </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ classificationUnitCodeType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB classification unit code with the pattern of "NNNN" or "NNNN-NNN", while N is numeric.

Source	<pre> <xsd:simpleType name="classificationUnitCodeType"> <xsd:restriction base="xsd:string"> <xsd:minLength value="8"/> <xsd:maxLength value="8"/> <xsd:pattern value="[A-Z0-9]{4}-\d{3}"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type commissionColumnType	
Namespace	http://www.wsib.on.ca
Diagram	<pre> classDiagram class commissionColumnType </pre>
Inheritance Hierarchy	integer {http://www.w3.org/2001/XMLSchema} └ commissionColumnType {http://www.wsib.on.ca}
Allowable Values	
Documentation	The column number for commission value
Source	<pre> <xsd:simpleType name="commissionColumnType"> <xsd:restriction base="xsd:integer"> <xsd:minInclusive value="1"/> <xsd:maxInclusive value="4"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type confirmationNumberType	
Namespace	http://www.wsib.on.ca
Diagram	<pre> classDiagram class confirmationNumberType </pre>
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ confirmationNumberType {http://www.wsib.on.ca}
Allowable Values	

Documentation	4-digit confirmation number
Source	<pre><xsd:simpleType name="confirmationNumberType"> <xsd:restriction base="xsd:string"> <xsd:minLength value="4"/> <xsd:maxLength value="4"/> <xsd:pattern value="\d{4}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type dateDDMMYYYYType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ dateDDMMYYYYType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A date field with the format of "DDMMYYYY", while DD is 2-digit of day, MM is 2-digit of month and YYYY is 4-digit of year. Leap year has been considered.
Source	<pre><xsd:simpleType name="dateDDMMYYYYType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="((([0-9] [12]\d 3[01])([013578] 1[02]) ([01-9] [12]\d 30)([0469] 11) ([01-9] 1\d 2[0-8])02)((19 20)([02468][1-35-79] [13579][013-57-9])1900)) ((([01-9] [12]\d 3[01])([013578] 1[02]) ([01-9] [12]\d 30)([0469] 11) ([01-9] 1\d 2[0-9])02)((190[48]) (19([2468](0 4 8) [13579](2 6)))) (20([02468](0 4 8) [13579](2 6))))))"/> </xsd:restriction> </xsd:simpleType></pre>


Simple Type dateYYYY-MM-DDType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance	string {http://www.w3.org/2001/XMLSchema}


Hierarchy	└ dateYYYY-MM-DDType {http://www.wsib.on.ca}
Allowable Values	
Source	<pre><xsd:simpleType name="dateYYYY-MM-DDType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(((19 20)([02468][1-35-79] [13579][013-57-9]) 1900)-((0[13578] 1[02])-(0[1-9] 1[12])\d 3[01]) ([0469] 11)-(0[1-9] 1[12])\d 30) 02-(0[1-9] 1\d 2[0-8])) (((190[48]) (19([2468](0[4 8] [13579](2[6])) (20([02468](0[4 8] [13579](2[6]))))-(0[13578] 1[02])-(0[1-9] 1[12])\d 3[01]) ([0469] 11)-(0[1-9] 1[12])\d 30) 02-(0[1-9] 1\d 2[0-9])))> </xsd:pattern> </xsd:restriction> </xsd:simpleType></pre>

Simple Type dayOfWeekType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ dayOfWeekType {http://www.wsib.on.ca}
Allowable Values	SUNDAY MONDAY TUESDAY WEDNESDAY THURSDAY FRIDAY SATURDAY
Documentation	Day of the week. Valid values are: SUNDAY, MONDAY, TUESDAY, WEDNESDAY, THURSDAY, FRIDAY, SATURDAY
Source	<pre><xsd:simpleType name="dayOfWeekType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="SUNDAY"/> <xsd:enumeration value="MONDAY"/> <xsd:enumeration value="TUESDAY"/> <xsd:enumeration value="WEDNESDAY"/> <xsd:enumeration value="THURSDAY"/> <xsd:enumeration value="FRIDAY"/> <xsd:enumeration value="SATURDAY"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type dayType	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └─ dayType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A up-to-two digit field for the day of month. Valid value is from 1 to 31.
Source	<pre><xsd:simpleType name="dayType"> <xsd:restriction base="xsd:unsignedShort"> <xsd:totalDigits value="2"/> <xsd:maxInclusive value="31"/> <xsd:minInclusive value="1"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type decimal3_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └─ decimal3_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 3 digits in total and 2 digits of decimal. Valid value is: -10 < X < 10.
Source	<pre><xsd:simpleType name="decimal3_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="3"/> <xsd:fractionDigits value="2"/> <xsd:maxExclusive value="10"/> <xsd:minExclusive value="-10"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type decimal4_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ decimal4_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 4 digits in total and 2 digits of decimal. Valid value is: -100 < X < 100.
Source	<pre> <xsd:simpleType name="decimal4_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="4"/> <xsd:fractionDigits value="2"/> <xsd:maxExclusive value="100"/> <xsd:minExclusive value="-100"/> </xsd:restriction> </xsd:simpleType> </pre>


Simple Type decimal5_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ decimal5_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 5 digits in total and 2 digits of decimal. Valid value is: -1000 < X < 1000.
Source	<pre> <xsd:simpleType name="decimal5_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="5"/> <xsd:fractionDigits value="2"/> </xsd:restriction> </xsd:simpleType> </pre>

```
<xsd:maxExclusive value="1000"/>
<xsd:minExclusive value="-1000"/>
</xsd:restriction>
</xsd:simpleType>
```

Simple Type decimal7_2Type

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
decimal {<http://www.w3.org/2001/XMLSchema>}
└─ decimal7_2Type {<http://www.wsib.on.ca>}

Allowable Values

Documentation
A decimal field with 7 digits in total and 2 digits of decimal. Valid value is: -100000 < X < 100000.

Source

```
<xsd:simpleType name="decimal7_2Type">
  <xsd:restriction base="xsd:decimal">
    <xsd:fractionDigits value="2"/>
    <xsd:totalDigits value="7"/>
    <xsd:maxExclusive value="100000"/>
    <xsd:minExclusive value="-100000"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type digit3Type

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
unsignedLong {<http://www.w3.org/2001/XMLSchema>}
└─ digit3Type {<http://www.wsib.on.ca>}

Allowable Values

Documentation
A 3-digit field.


Source	<pre><xsd:simpleType name="digit3Type"> <xsd:restriction base="xsd:unsignedLong"> <xsd:pattern value="\d{3}"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type digit9Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'digit9Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ digit9Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A 9-digit field.
Source	<pre><xsd:simpleType name="digit9Type"> <xsd:restriction base="xsd:string"> <xsd:pattern value="\d{9}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type earningsType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'earningsType' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ earningsType {http://www.wsib.on.ca}
Allowable Values	MAN_OT VOL_OT COMM
Documentation	A WSIB earning type field. Valid value is: MAN_OT - Mandatory Overtime Pay, VOL_OT

	- Voluntary Overtime Pay, COMM - Commission
Source	<pre><xsd:simpleType name="earningsType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="MAN_OT"/> <xsd:enumeration value="VOL_OT"/> <xsd:enumeration value="COMM"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type falseType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ falseType {http://www.wsib.on.ca}
Allowable Values	F
Documentation	A field with a fixed value of "F". It is normally for a negative answer of an option.
Source	<pre><xsd:simpleType name="falseType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="F"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type fatalityAccidentIllnessType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ fatalityAccidentIllnessType {http://www.wsib.on.ca}
Allowable	

Values	
Documentation	Accident injury Type for Fatality
Source	<pre><xsd:simpleType name="fatalityAccidentIllnessType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="Fatality"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type fatalityAccidentOccurrenceType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ fatalityAccidentOccurrenceType {http://www.wsib.on.ca}
Allowable Values	F
Documentation	ACCIDENT/ILLNESS OCCURRENCE: F - FATALITY
Source	<pre><xsd:simpleType name="fatalityAccidentOccurrenceType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="F"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type fatalityInjuryAreaType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ fatalityInjuryAreaType {http://www.wsib.on.ca}
Allowable Values	

Documentation	Injury Area Type for Fatality
Source	<pre><xsd:simpleType name="fatalityInjuryAreaType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="Fatality"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type firmNumberType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ firmNumberType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB firm number field. The value pattern is "NNNN" or "NNNNAA", while N is numeric and A is alphabetic.
Source	<pre><xsd:simpleType name="firmNumberType"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="8"/> <xsd:pattern value="\d{1,6}([A-Z a-z]{2})?" /> </xsd:restriction> </xsd:simpleType></pre>

Simple Type genderType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ genderType {http://www.wsib.on.ca}
Allowable	M

Values	F
Documentation	Gender field. Valid values are: "M" for male, "F" for female.
Source	<pre><xsd:simpleType name="genderType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="M"/> <xsd:enumeration value="F"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type hour12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └─ hour12Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A two-digit field for hour. Valid value is from 0 to 11.
Source	<pre><xsd:simpleType name="hour12Type"> <xsd:restriction base="xsd:unsignedShort"> <xsd:maxInclusive value="11"/> <xsd:minInclusive value="0"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type hour24Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └─ hour24Type {http://www.wsib.on.ca}

Allowable Values	
Documentation	A two-digit field for hour. Valid value is from 0 to 23.
Source	<pre><xsd:simpleType name="hour24Type"> <xsd:restriction base="xsd:unsignedShort"> <xsd:maxInclusive value="23"/> <xsd:minInclusive value="0"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type int3_3Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'int3_3Type' with a small icon to its left, representing a simple type.
Inheritance Hierarchy	integer {http://www.w3.org/2001/XMLSchema} └ int3_3Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	An integer field with three digits.
Source	<pre><xsd:simpleType name="int3_3Type"> <xsd:restriction base="xsd:integer"> <xsd:totalDigits value="3"/> <xsd:pattern value="\d{3,3}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type int3Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'int3Type' with a small icon to its left, representing a simple type.
Inheritance Hierarchy	integer {http://www.w3.org/2001/XMLSchema} └ int3Type {http://www.wsib.on.ca}

Allowable Values	
Documentation	An integer field with one to three digits.
Source	<pre> <xsd:simpleType name="int3Type"> <xsd:restriction base="xsd:integer"> <xsd:totalDigits value="3"/> <xsd:pattern value="\d{1,3}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type int6Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedInt {http://www.w3.org/2001/XMLSchema} └ int6Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	An integer field with up to six digits.
Source	<pre> <xsd:simpleType name="int6Type"> <xsd:restriction base="xsd:unsignedInt"> <xsd:totalDigits value="6"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type minuteType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └ minuteType {http://www.wsib.on.ca}

Allowable Values	
Documentation	A two-digit field for minute. Valid value is from 0 to 59.
Source	<pre><xsd:simpleType name="minuteType"> <xsd:restriction base="xsd:unsignedShort"> <xsd:maxInclusive value="59"/> <xsd:minInclusive value="0"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type monthType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └─ monthType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A two-digit field for month. Valid value is from 1 to 12.
Source	<pre><xsd:simpleType name="monthType"> <xsd:restriction base="xsd:unsignedShort"> <xsd:totalDigits value="2"/> <xsd:maxInclusive value="12"/> <xsd:minInclusive value="1"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type noNegativeDecimal6_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance	decimal {http://www.w3.org/2001/XMLSchema} noNegativeDecimal6_2Type {http://www.wsib.on.ca}

Hierarchy	L
Allowable Values	
Documentation	A decimal field with 6 digits in total and 2 digits of decimal. Valid value is: 0 <= X < 10000.
Source	<pre><xsd:simpleType name="noNegativeDecimal6_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:fractionDigits value="2"/> <xsd:totalDigits value="6"/> <xsd:minInclusive value="0"/> <xsd:maxExclusive value="10000"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type noNegativeDecimal7_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └─ noNegativeDecimal7_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 7 digits in total and 2 digits of decimal. Valid value is: 0 <= X < 100000.
Source	<pre><xsd:simpleType name="noNegativeDecimal7_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:fractionDigits value="2"/> <xsd:totalDigits value="7"/> <xsd:minInclusive value="0"/> <xsd:maxExclusive value="100000"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type nonNumeric1_20Type	
Namespace	http://www.wsib.on.ca
Diagram	



Inheritance
Hierarchy

string {http://www.w3.org/2001/XMLSchema}
└ [nonNumeric1_20Type](#) {http://www.wsib.on.ca}

Allowable
Values

Documentation

A field with from 1 to 20 non-numeric characters.

Source

```
<xsd:simpleType name="nonNumeric1_20Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="20"/>
    <xsd:pattern value="\D{1,20}"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type

nonNumeric1_25Type

Namespace

http://www.wsib.on.ca

Diagram



Inheritance
Hierarchy

string {http://www.w3.org/2001/XMLSchema}
└ [nonNumeric1_25Type](#) {http://www.wsib.on.ca}

Allowable
Values

Documentation

A field with from 1 to 25 non-numeric characters.

Source

```
<xsd:simpleType name="nonNumeric1_25Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="1"/>
    <xsd:maxLength value="25"/>
    <xsd:pattern value="\D{1,25}"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type

nonNumeric1_30Type

Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'nonNumeric1_30Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ nonNumeric1_30Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 30 non-numeric characters.
Source	<pre><xsd:simpleType name="nonNumeric1_30Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="30"/> <xsd:pattern value="\D{1,30}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type nonNumeric1_35Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'nonNumeric1_35Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ nonNumeric1_35Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 35 non-numeric characters.
Source	<pre><xsd:simpleType name="nonNumeric1_35Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> <xsd:pattern value="\D{1,35}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type nonNumeric1_3Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ nonNumeric1_3Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 3 non-numeric characters.
Source	<pre> <xsd:simpleType name="nonNumeric1_3Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="3"/> <xsd:pattern value="\D{1,3}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type nonNumeric1_50Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ nonNumeric1_50Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 1 to 50 non-numeric characters.
Source	<pre> <xsd:simpleType name="nonNumeric1_50Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="50"/> <xsd:pattern value="\D{1,50}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type nonNumeric2_20Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ nonNumeric2_20Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 20 non-numeric characters.
Source	<pre> <xsd:simpleType name="nonNumeric2_20Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="20"/> <xsd:pattern value="\D{2,20}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type nonNumeric2_25Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ nonNumeric2_25Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 25 non-numeric characters.
Source	<pre> <xsd:simpleType name="nonNumeric2_25Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="25"/> </xsd:restriction> </xsd:simpleType> </pre>


```
<xsd:pattern value="\D{2,25}"/>
</xsd:restriction>
</xsd:simpleType>
```

Simple Type nonNumeric2_30Type

Namespace http://www.wsib.on.ca

Diagram



Inheritance Hierarchy
string {http://www.w3.org/2001/XMLSchema}
└ [nonNumeric2_30Type](#) {http://www.wsib.on.ca}

Allowable Values

Documentation A field with from 2 to 30 non-numeric characters.

Source

```
<xsd:simpleType name="nonNumeric2_30Type">
  <xsd:restriction base="xsd:string">
    <xsd:minLength value="2"/>
    <xsd:maxLength value="30"/>
    <xsd:pattern value="\D{2,30}"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type nonNumeric2_35Type

Namespace http://www.wsib.on.ca

Diagram



Inheritance Hierarchy
string {http://www.w3.org/2001/XMLSchema}
└ [nonNumeric2_35Type](#) {http://www.wsib.on.ca}

Allowable Values

Documentation A field with from 1 to 35 non-numeric characters.


```
<xsd:simpleType name="nonNumeric2_35Type">
```

Source	<pre><xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> <xsd:pattern value="\D{1,35}"/> </xsd:restriction> </xsd:simpleType></pre>
--------	--

Simple Type nonNumeric2_3Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ nonNumeric2_3Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field with from 2 to 3 non-numeric characters.
Source	<pre><xsd:simpleType name="nonNumeric2_3Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="3"/> <xsd:pattern value="\D{2,3}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type nonNumeric2_50Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ nonNumeric2_50Type {http://www.wsib.on.ca}
Allowable Values	

Documentation	A field with from 2 to 50 non-numeric characters.
Source	<pre><xsd:simpleType name="nonNumeric2_50Type"> <xsd:restriction base="xsd:string"> <xsd:minLength value="2"/> <xsd:maxLength value="50"/> <xsd:pattern value="\D{2,50}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type noType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a simple type named 'noType' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ noType {http://www.wsib.on.ca}
Allowable Values	N
Documentation	A field with a fixed value of "N". It is normally for a negative answer of an option.
Source	<pre><xsd:simpleType name="noType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="N"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type numeric1_6Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a simple type named 'numeric1_6Type' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ numeric1_6Type {http://www.wsib.on.ca}
Allowable	

Values	
Documentation	A numeric field with 1 to 6 digits.
Source	<pre><xsd:simpleType name="numeric1_6Type"> <xsd:restriction base="xsd:string"> <xsd:maxLength value="6"/> <xsd:minLength value="1"/> <xsd:pattern value="\d{1,6}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type offerToModifiedWorkBeenAcceptedType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ offerToModifiedWorkBeenAcceptedType {http://www.wsib.on.ca}
Allowable Values	NO ACCEPTED DECLINED
Documentation	WSIB modified work offer and acceptance field. Valid values are: NO - Not offered, ACCEPTED - Offered and accepted, DECLINED - Offered but not accepted.
Source	<pre><xsd:simpleType name="offerToModifiedWorkBeenAcceptedType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="NO"/> <xsd:enumeration value="ACCEPTED"/> <xsd:enumeration value="DECLINED"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type otherEarningAmountType	
Namespace	http://www.wsib.on.ca
Diagram	

	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} ↳ otherEarningAmountType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB other earning amount field, which has 6 digits in total and 2 digits in decimal portion. Valid value: 1 <= X <= 9999.99
Source	<pre><xsd:simpleType name="otherEarningAmountType"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="7"/> <xsd:fractionDigits value="2"/> <xsd:maxInclusive value="99999.99"/> <xsd:minInclusive value="0.00"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type payFrequencyType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} ↳ payFrequencyType {http://www.wsib.on.ca}
Allowable Values	H D W
Documentation	WSIB pay frequency field. Valie values are: H - hourly, D - daily, W - weekly.
Source	<pre><xsd:simpleType name="payFrequencyType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="H"/> <xsd:enumeration value="D"/> <xsd:enumeration value="W"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type payPercentageType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ payPercentageType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB pay percentage field, which has 4 digits in total and 2 digits in decimal portion. Valid value: 1 <= X <= 99.99
Source	<pre> <xsd:simpleType name="payPercentageType"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="4"/> <xsd:fractionDigits value="2"/> <xsd:minInclusive value="1.00"/> <xsd:maxInclusive value="99.99"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type phone11Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ phone11Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	Phone number field with a format of NNNNNN-NNNN, while N is a numeric digit.
Source	<pre> <xsd:simpleType name="phone11Type"> <xsd:restriction base="xsd:string"> <xsd:pattern value="\d{3}\d{3}-\d{4}"/> </xsd:restriction> </xsd:simpleType> </pre>

```
</xsd:restriction>
</xsd:simpleType>
```

Simple Type **phone13Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy

- string {<http://www.w3.org/2001/XMLSchema>}
- └─ [phone13Type](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation Phone number field with a format of (NNN)NNN-NNNN, while N is a numeric digit.

Source

```
<xsd:simpleType name="phone13Type">
  <xsd:restriction base="xsd:string">
    <xsd:pattern value="(\d{3})\d{3}-\d{4}"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **phoneType**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy

- string {<http://www.w3.org/2001/XMLSchema>}
- └─ [phoneType](http://www.wsib.on.ca) {<http://www.wsib.on.ca>}

Allowable Values

Documentation Phone number field with a format of (NNN)NNN-NNNN or NNNNNNNNNN, while N is a numeric digit.

Source

```
<xsd:simpleType name="phoneType">
  <xsd:restriction base="xsd:string">
    <xsd:pattern value="(\d{3})\d{3}-\d{4}|\d{10}"/>
  </xsd:restriction>
```

</xsd:simpleType>

Simple Type **positiveDecimal3_2Type**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
decimal {<http://www.w3.org/2001/XMLSchema>}
└ [positiveDecimal3_2Type](#) {<http://www.wsib.on.ca>}

Allowable Values

Documentation
A decimal field with 3 digits in total and 2 digits of decimal. Valid value is: 0 < x < 10.

Source

```
<xsd:simpleType name="positiveDecimal3_2Type">
  <xsd:restriction base="xsd:decimal">
    <xsd:totalDigits value="3"/>
    <xsd:fractionDigits value="2"/>
    <xsd:minExclusive value="0"/>
    <xsd:maxExclusive value="10"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **positiveDecimal4_2Type**

Namespace <http://www.wsib.on.ca>

Diagram




Inheritance Hierarchy
decimal {<http://www.w3.org/2001/XMLSchema>}
└ [positiveDecimal4_2Type](#) {<http://www.wsib.on.ca>}

Allowable Values

Documentation
A decimal field with 4 digits in total and 2 digits of decimal. Valid value is: 0 < x < 100.

```
<xsd:simpleType name="positiveDecimal4_2Type">
```


Source	<pre><xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="4"/> <xsd:fractionDigits value="2"/> <xsd:minExclusive value="0"/> <xsd:maxExclusive value="100"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type positiveDecimal5_2Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'positiveDecimal5_2Type' with a small icon to its left.
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ positiveDecimal5_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 5 digits in total and 2 digits of decimal. Valid value is: 0 < X < 1000.
Source	<pre><xsd:simpleType name="positiveDecimal5_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="5"/> <xsd:fractionDigits value="2"/> <xsd:minExclusive value="0"/> <xsd:maxExclusive value="1000"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type positiveDecimal6_2Type	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'positiveDecimal6_2Type' with a small icon to its left.
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ positiveDecimal6_2Type {http://www.wsib.on.ca}
Allowable	

Values	
Documentation	A decimal field with 6 digits in total and 2 digits of decimal. Valid value is: 0 < x < 10000.
Source	<pre><xsd:simpleType name="positiveDecimal6_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:fractionDigits value="2"/> <xsd:totalDigits value="6"/> <xsd:minExclusive value="0"/> <xsd:maxExclusive value="10000"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type positiveDecimal7_2Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ positiveDecimal7_2Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 7 digits in total and 2 digits of decimal. Valid value is: 0 < x < 100000.
Source	<pre><xsd:simpleType name="positiveDecimal7_2Type"> <xsd:restriction base="xsd:decimal"> <xsd:fractionDigits value="2"/> <xsd:totalDigits value="7"/> <xsd:minExclusive value="0"/> <xsd:maxExclusive value="100000"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type positivePercentageDecimalType	
Namespace	http://www.wsib.on.ca
Diagram	



Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ positivePercentageDecimalType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A decimal field with 4 digits in total and 2 digits of decimal. Valid value is: 0 < X < 100.
Source	<pre><xsd:simpleType name="positivePercentageDecimalType"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="4"/> <xsd:fractionDigits value="2"/> <xsd:minExclusive value="0"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type **priLanguageType**

Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ priLanguageType {http://www.wsib.on.ca}
Allowable Values	E F
Documentation	WSIB perfered language field. Valid values are: E - English, F - French.
Source	<pre><xsd:simpleType name="priLanguageType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="E"/> <xsd:enumeration value="F"/> </xsd:restriction> </xsd:simpleType></pre>

rateGroupType


Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ rateGroupType {http://www.wsib.on.ca}
Allowable Values	
Documentation	WSIB rate group field with a 3 digits.
Source	<pre><xsd:simpleType name="rateGroupType"> <xsd:restriction base="xsd:string"> <xsd:length value="3"/> <xsd:pattern value="\d{3}"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type rtwType

Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ rtwType {http://www.wsib.on.ca}
Allowable Values	REGULAR MODIFIED
Documentation	WSIB return to work field. Valid options are: REGULAR - Return to regular work, MODIFIED - return to modified work.
Source	<pre><xsd:simpleType name="rtwType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="REGULAR"/> <xsd:enumeration value="MODIFIED"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type secondType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	unsignedShort {http://www.w3.org/2001/XMLSchema} └ secondType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A two-digit field for second. Valid value is from 0 to 59.
Source	<pre> <xsd:simpleType name="secondType"> <xsd:restriction base="xsd:unsignedShort"> <xsd:maxInclusive value="59"/> <xsd:minInclusive value="0"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type signedDigit3Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	short {http://www.w3.org/2001/XMLSchema} └ signedDigit3Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A signed three-digit field.
Source	<pre> <xsd:simpleType name="signedDigit3Type"> <xsd:restriction base="xsd:short"> <xsd:pattern value="-?\d{1,3}"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type standardAccidentIllnessType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ standardAccidentIllnessType {http://www.wsib.on.ca}
Allowable Values	STRUCK OVEREXERTION REPETITION FIRE FALL HARMFUL_SUBS ASSAULT SLIP MOTOR
Documentation	WSIB Standard Accident/Illness type. Valid options are: STRUCK - Struck/Caught OVEREXERTION - Overexertion REPETITION - Repetition FIRE - Fire/Explosion FALL - Fall HARMFUL_SUBS - Harmful Substances/Environmental ASSAULT - Assault SLIP - Slip/Trip MOTOR - Motor Vehicle Incident
Source	<pre><xsd:simpleType name="standardAccidentIllnessType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="STRUCK"/> <xsd:enumeration value="OVEREXERTION"/> <xsd:enumeration value="REPETITION"/> <xsd:enumeration value="FIRE"/> <xsd:enumeration value="FALL"/> <xsd:enumeration value="HARMFUL_SUBS"/> <xsd:enumeration value="ASSAULT"/> <xsd:enumeration value="SLIP"/> <xsd:enumeration value="MOTOR"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type standardEmploymentTypeType	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ standardEmploymentTypeType {http://www.wsib.on.ca}
Allowable Values	PERM_FULL PERM_PART TEMP_FULL TEMP_PART CASUAL SEASONAL CONTRACT STUDENT UNPAID REG_APPRENTICE OPT_INSURANCE OWNER
Documentation	WSIB Standard Employment Type field. Valid options are: PERM_FULL - Permanent Full Time PERM_PART - Permanent Part Time TEMP_FULL - Temporary Full Time TEMP_PART - Temporary Part Time CASUAL - Casual/Irregular SEASONAL - Seasonal CONTRACT - Contract STUDENT - Student UNPAID - Unpaid/Trainee REG_APPRENTICE - Registered Apprentice OPT_INSURANCE - Optional Insurance OWNER - Owner Operator or (Sub) Contractor
Source	<pre><xsd:simpleType name="standardEmploymentTypeType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="PERM_FULL"/> <xsd:enumeration value="PERM_PART"/> <xsd:enumeration value="TEMP_FULL"/> <xsd:enumeration value="TEMP_PART"/> <xsd:enumeration value="CASUAL"/> <xsd:enumeration value="SEASONAL"/> <xsd:enumeration value="CONTRACT"/> <xsd:enumeration value="STUDENT"/> <xsd:enumeration value="UNPAID"/> <xsd:enumeration value="REG_APPRENTICE"/> <xsd:enumeration value="OPT_INSURANCE"/> <xsd:enumeration value="OWNER"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type standardInjuryAreaType	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ standardInjuryAreaType {http://www.wsib.on.ca}
Allowable Values	HEAD FACE EYES EARS TEETH NECK CHEST UPPER_BACK LOWER_BACK ABDOMEN PELVIS L_SHOULDER R_SHOULDER L_ARM R_ARM L_ELBOW R_ELBOW L_FOREARM R_FOREARM L_WRIST R_WRIST L_HAND R_HAND L_FINGERS R_FINGERS L_HIP R_HIP L_THIGH R_THIGH L_KNEE R_KNEE L_LOWER_LEG R_LOWER_LEG L_ANKLE R_ANKLE L_FOOT R_FOOT L_TOES R_TOES
	WSIB Standard Injury Area field. Valid options are: HEAD - Head FACE - Face EYES - Eye(s)

Documentation	EARS - Ear(s) TEETH - Teeth NECK - Neck CHEST - Chest UPPER_BACK - Upper back LOWER_BACK - Lower back ABDOMEN - Abdomen PELVIS - Pelvis L_SHOULDER - Left Shoulder R_SHOULDER - Right Shoulder L_ARM - Left Arm R_ARM - Right Arm L_ELBOW - Left Elbow R_ELBOW - Right Elbow L_FOREARM - Left Forearm R_FOREARM - Right Forearm L_WRIST - Left Wrist R_WRIST - Right Wrist L_HAND - Left Hand R_HAND - Right Hand L_FINGERS - Left Finger(s) R_FINGERS - Right Finger(s) L_HIP - Left Hip R_HIP - Right Hip L_THIGH - Left Thigh R_THIGH - Right Thigh L_KNEE - Left Knee R_KNEE - Right Knee L_LOWER_LEG - Left Lower Leg R_LOWER_LEG - Right Lower Leg L_ANKLE - Left Ankle R_ANKLE - Right Ankle L FOOT - Left Foot R FOOT - Right Foot L_TOES - Left Toe(s) R_TOES - Right Toe(s)
Source	<pre> <xsd:simpleType name="standardInjuryAreaType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="HEAD"/> <xsd:enumeration value="FACE"/> <xsd:enumeration value="EYES"/> <xsd:enumeration value="EARS"/> <xsd:enumeration value="TEETH"/> <xsd:enumeration value="NECK"/> <xsd:enumeration value="CHEST"/> <xsd:enumeration value="UPPER_BACK"/> <xsd:enumeration value="LOWER_BACK"/> <xsd:enumeration value="ABDOMEN"/> <xsd:enumeration value="PELVIS"/> <xsd:enumeration value="L_SHOULDER"/> <xsd:enumeration value="R_SHOULDER"/> <xsd:enumeration value="L_ARM"/> <xsd:enumeration value="R_ARM"/> <xsd:enumeration value="L_ELBOW"/> <xsd:enumeration value="R_ELBOW"/> <xsd:enumeration value="L_FOREARM"/> <xsd:enumeration value="R_FOREARM"/> <xsd:enumeration value="L_WRIST"/> <xsd:enumeration value="R_WRIST"/> <xsd:enumeration value="L_HAND"/> <xsd:enumeration value="R_HAND"/> <xsd:enumeration value="L_FINGERS"/> <xsd:enumeration value="R_FINGERS"/> <xsd:enumeration value="L_HIP"/> <xsd:enumeration value="R_HIP"/> <xsd:enumeration value="L_THIGH"/> <xsd:enumeration value="R_THIGH"/> <xsd:enumeration value="L_KNEE"/> <xsd:enumeration value="R_KNEE"/> <xsd:enumeration value="L_LOWER_LEG"/> <xsd:enumeration value="R_LOWER_LEG"/> <xsd:enumeration value="L_ANKLE"/> <xsd:enumeration value="R_ANKLE"/> <xsd:enumeration value="L FOOT"/> <xsd:enumeration value="R FOOT"/> <xsd:enumeration value="L_TOES"/> <xsd:enumeration value="R_TOES"/> </xsd:restriction> </xsd:simpleType> </pre>

```
</xsd:restriction>
</xsd:simpleType>
```

Simple Type **standardWorkerTreatmentLocationType**

Namespace <http://www.wsib.on.ca>

Diagram



Inheritance Hierarchy
string {<http://www.w3.org/2001/XMLSchema>}
└─ [standardWorkerTreatmentLocationType](#) {<http://www.wsib.on.ca>}

Allowable Values

ONSITE
AMBULANCE
EMERGENCY
HOSPITAL
HEALTH_PRO_OFFICE
CLINIC

Documentation

WSIB Standard Worker Treatment Location field. Valid options are:
ONSITE - On-site health care
AMBULANCE - Ambulance
EMERGENCY - Emergency department
HOSPITAL - Admitted to hospital
HEALTH_PRO_OFFICE - Health professional office
CLINIC - Clinic

Source

```
<xsd:simpleType name="standardWorkerTreatmentLocationType">
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="ONSITE"/>
    <xsd:enumeration value="AMBULANCE"/>
    <xsd:enumeration value="EMERGENCY"/>
    <xsd:enumeration value="HOSPITAL"/>
    <xsd:enumeration value="HEALTH_PRO_OFFICE"/>
    <xsd:enumeration value="CLINIC"/>
  </xsd:restriction>
</xsd:simpleType>
```

Simple Type **timeAMPMType**

Namespace <http://www.wsib.on.ca>

Diagram

	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ timeAMPMTType {http://www.wsib.on.ca}
Allowable Values	AM PM
Documentation	Indicate if a 12-hour time is AM or PM. Valid values are AM and PM.
Source	<pre><xsd:simpleType name="timeAMPMTType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="AM"/> <xsd:enumeration value="PM"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type timeHHMM12Type	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ timeHHMM12Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A 12-hour time in formation of HH:MM. This field normally is used with a timeAMPMTtype field. The valid time is from 01:00 to 12:59.
Source	<pre><xsd:simpleType name="timeHHMM12Type"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(0[1-9] 1[0-2]):[0-5]\d"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type timeHHMM24Type	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ timeHHMM24Type {http://www.wsib.on.ca}
Allowable Values	
Documentation	A 24-hour time in formation of HH:MM. The valid time is from 00:00 to 23:59.
Source	<pre><xsd:simpleType name="timeHHMM24Type"> <xsd:restriction base="xsd:string"> <xsd:pattern value="[01]\d:[0-5]\d 2[0-3]:[0-5]\d"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type timeHHMMSSType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ timeHHMMSSType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A 24-hour time in formation of HH:MM:SS. The valid time is from 00:00:00 to 23:59:59.
Source	<pre><xsd:simpleType name="timeHHMMSSType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="([01]\d:[0-5]\d 2[0-3]:[0-5]\d):[0-5]\d"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type timestampType	
Namespace	http://www.wsib.on.ca

Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ timestampType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A timestamp field including both date and time. The format is YYYY-MM-DD HH:MM:SS.
Source	<pre><xsd:simpleType name="timestampType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(((19 20)([02468][1-35-79] 13579)[013-57-9]) 1900)- ((0[13578] 1[02])-(0[1-9] 12)\d 3[01]) (0[469] 11)-(0[1-9] 12)\d 30) 02-(0[1- 9] 1\d 2[0- 8]))) (((190[48]) (19([2468](0[4 8] 13579)(2 6))) (20([02468](0[4 8] 13579)(2 6)))))- (0[13578] 1[02])-(0[1-9] 12)\d 3[01]) (0[469] 11)-(0[1-9] 12)\d 30) 02-(0[1- 9] 1\d 2[0-9])))) ([01]\d:[0-5]\d 2[0-3]:[0-5]\d):[0-5]\d"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type timeType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └ timeType {http://www.wsib.on.ca}
Allowable Values	AM PM
Documentation	Indicate if a 12-hour time is AM or PM. Valid values are AM and PM.
Source	<pre><xsd:simpleType name="timeType"> <xsd:restriction base="xsd:string"> <xsd:length value="2"/> <xsd:enumeration value="AM"/> <xsd:enumeration value="PM"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type trueFalseType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ trueFalseType {http://www.wsib.on.ca}
Allowable Values	T F
Documentation	A true/false option field. Valid values are T for true and F for false.
Source	<pre> <xsd:simpleType name="trueFalseType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="T"/> <xsd:enumeration value="F"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type trueType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ trueType {http://www.wsib.on.ca}
Allowable Values	T
Documentation	A field with a fixed value of "T". It is normally for a positive answer of an option.
Source	<pre> <xsd:simpleType name="trueType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="T"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type weeklyHoursType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ weeklyHoursType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field for storing number of hours that could be spent within a week. The valid value is: 0 < X <= 168.
Source	<pre> <xsd:simpleType name="weeklyHoursType"> <xsd:restriction base="xsd:decimal"> <xsd:totalDigits value="5"/> <xsd:fractionDigits value="2"/> <xsd:minExclusive value="0"/> <xsd:maxInclusive value="168"/> </xsd:restriction> </xsd:simpleType> </pre>

Simple Type workingHourType	
Namespace	http://www.wsib.on.ca
Diagram	
Inheritance Hierarchy	decimal {http://www.w3.org/2001/XMLSchema} └ workingHourType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A field for storing number of hours that could be spent in a day. The valid value is: 0 < X <= 24.
	<pre> <xsd:simpleType name="workingHourType"> <xsd:restriction base="xsd:decimal"> </pre>

Source	<pre><xsd:totalDigits value="4"/> <xsd:minExclusive value="0"/> <xsd:maxInclusive value="24"/> <xsd:fractionDigits value="2"/> </xsd:restriction> </xsd:simpleType></pre>
--------	---

Simple Type yearType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'yearType' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ yearType {http://www.wsib.on.ca}
Allowable Values	
Documentation	A four-digit field for year. Leap year is considered.
Source	<pre><xsd:simpleType name="yearType"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(20\d{2}) (196[6-9]) (19[7-9][0-9])"/> </xsd:restriction> </xsd:simpleType></pre>

Simple Type yesNoType	
Namespace	http://www.wsib.on.ca
Diagram	 A diagram showing a box labeled 'yesNoType' with a small icon to its left.
Inheritance Hierarchy	string {http://www.w3.org/2001/XMLSchema} └─ yesNoType {http://www.wsib.on.ca}
Allowable Values	Y N
Documentation	A yes/no option field. Valid values are Y for yes and N for no.

Source	<pre> <xsd:simpleType name="yesNoType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="Y"/> <xsd:enumeration value="N"/> </xsd:restriction> </xsd:simpleType> </pre>
--------	---

Simple Type yesType	
Namespace	http://www.wsib.on.ca
Diagram	<pre> classDiagram class yesType { Y } </pre>
Inheritance Hierarchy	<pre> string {http://www.w3.org/2001/XMLSchema} └─ yesType {http://www.wsib.on.ca} </pre>
Allowable Values	Y
Documentation	A field with a fixed value of "Y". It is normally for a positive answer of an option.
Source	<pre> <xsd:simpleType name="yesType"> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> <xsd:enumeration value="Y"/> </xsd:restriction> </xsd:simpleType> </pre>

Elements

Groups

Attributes

Attribute Groups

